

11 References

- Aanes, S. 2002. Precision in age determination of Northeast Arctic cod. Working document in: Report of the Arctic Fisheries Working Group. ICES Headquarters 16-25 April 2002. ICES CM 2002/ACFM:18. 451 pp.
- Aanes, S. and Pennington, M. 2003. On estimating the Age composition of the Commercial Catch of North-east Arctic cod from a Sample of Clusters. ICES Journal of Marine Science, 60: 297-303.
- Aanes, S. 2016. Stock Annex: Herring (*Clupea harengus*) in subareas 1, 2, and 5, and in division 4.a and 14.1 (Norwegian Spring Spawning). WKPELA2016
- Aas, C. A. 2007. Predation by saithe on juvenile fish (cod and others). Masters thesis, University of Tromsø, 2007 (In Norwegian).
- Ajiad, A. M., Aglen, A., Nedreaas, K., and Kvamme, C. 2008. Estimating by-catch at age of Northeast arctic cod from the Norwegian shrimp fishery in the Barents Sea 1984-2006. WD2, AFWG 2008.
- Ajiad, A. M., Nedreaas, K., 2014. Revised and updated by-catch estimation of Northeast Arctic cod and beaked redfish from the Barents Sea shrimp fishery until 2013. Working Document no 15. ICES Arctic Fisheries Working Group, ICES CM 2014/ACOM:05.
- Aksnes DL, Ulvestad KB, Baliño BM, Berntsen J, Egge JK, Svendsen E. 1995. Ecological modelling in coastal waters: Towards predictive physical-chemical-biological simulation models. *Ophelia* 41:5-36.
- Albert, O.T. and Vollen, T., 2015. A major nursery area around the Svalbard archipelago provides recruits for the stocks in both Greenland halibut management areas in the Northeast Atlantic. ICES Journal of Marine Science: Journal du Conseil, 72(3): 872-879.
- Anfinsen, L. 2002. Ressursøkologisk betydning av nise (*Phocaena phocaena*) i norske farvann. Dr. scient thesis. Institute of fisheries and marine biology, University of Bergen, Autumn 2002. 51pp.
- Anisimova, N. A., Jørgensen, L. L., Lyubin, P. A., and Manushin, I. E. 2011. Benthos. Chapter 4.1 (p. 121-159) in Jakobsen, T., and Ozhigin, V. K. (eds.) 2011. The Barents Sea. Ecosystem, resources, management. Half a century of Russian-Norwegian cooperation. Tapir Academic Press.
- Anker-Nilssen, T. 1992. Food supply as a determinant of reproduction and population development in Norwegian Puffins *Fratercula arctica*. Dr. scient. thesis, University of Trondheim, Norway.
- Anker-Nilssen, T, Bakken, V., Strøm, H., Golovkin, A.N., Bianki, V.V. and Tatarinkova, I.P. 2000. The status of marine birds breeding in the Barents Sea region. Norsk Polarinstitutt rapport 113: 213 pp.
- Anon. 2013. The Norwegian Reference Fleet – a trustful cooperation between fishermen and scientists. Focus on Marine Research 3/2013, Institute of Marine Research, Norway. 12 pp.
- Anon. 2015. Protocol of the 45th Meeting of the Joint Norwegian-Russian Fisheries Commission, Astrakhan, Russia, 6-9 October 2015. (In Norwegian and Russian, Norwegian version available at <https://www.regjeringen.no/no/aktuelt/enighet-om-norsk-russisk-kvoteavtale-for-2016/id2457679/>)
- Antipova, T.V. 1975. Distribution of the Barents Sea benthos biomass. Trudy PINRO, 35: 121-124 (in Russian).
- Anfinsen, L. 2002. Ressursøkologisk betydning av nise (*Phocaena phocaena*) i norske farvann. Dr. scient thesis. Institute of fisheries and marine biology, University of Bergen, Autumn 2002. 51pp. (In Norwegian).
- Bakaney, S 2013. Assessment of the Barents Sea Greenland halibut stock using the stochastic version of the production model. Working document no 14. in: Report of the Benchmark Workshop on Greenland Halibut Stocks (WKBUT), 26–29 November 2013, Copenhagen, Denmark. ICES CM 2013/ ACOM:44. 367 pp.
- Bambulyak, A., and Frantzen, B. 2009. Oil transport from the Russian part of the Barents Region. Status per January 2009. The Norwegian Barents Secretariat and Akvaplan-niva. 97 pp.

- Barrett, R.T., T. Anker-Nilssen, G.W. Gabrielsen and G. Chapdelaine. 2002. Food consumption by seabirds in Norwegian waters. *ICES Journal of Marine Science* 59(1): 43-57.
- Barrett R.T., and Krasnov, Y.V. 1996. Recent responses to changes in stocks of prey species by seabirds breeding in the southern Barents Sea. *ICES Journal of Marine Science: Journal du Conseil*, 53(4):713-722.
- Barrett, R.T., Bakken, V., and Krasnov, J. 1997. The diets of common and Brünnich's guillemots *Uria aalge* and *U. lomvia* in the Barents Sea region. *Polar Research* 16(2): 73-84.
- Basterretxea, M., J. Ruiz, A. Iriondo and E. Mugerza 2013. Spanish Greenland halibut survey 2012. Working document in: Report of the Arctic Fisheries Working Group. ICES Headquarters, Copenhagen, 18-24 April, 2013. ICES CM 2013/ACOM:05. 726 pp.
- Baulier, L., Heino, M., and Gjørseter, H. 2012. Temporal stability in maturation schedule of capelin (*Mallotus villosus* Müller) in the Barents Sea? *Aquatic Living Resources* 25:151-161.
- Begley, J., and Howell, D. 2004. An Overview of Gadget, the Globally applicable Area-Disaggregated General Ecosystem Toolbox. ICES C.M. 2004/FF:13, 16 pp.
- Berg, E., and Albert, O. T. 2003. Cod in fjords and coastal waters of North Norway: distribution and variation in length and maturity at age. *ICES Journal of Marine Science*, 60: 787-797.
- Berg, E., Sarvas, T. H., Harbitz, A., Fevolden, S.E. and Salberg, A.B. 2005. Accuracy and precision in stock separation of north-east Arctic and Norwegian coastal cod by otoliths - comparing readings, image analyses and a genetic method. *Marine and Freshwater Research*, No. 56 10 pp.
- Berenboim B.I. 1992. Northern shrimp *Pandalus borealis* Kroyer in the Barents Sea (biology and fishery). Murmansk: PINRO Press, 1992. 136 pp. (In Russian)
- Björnsson, H., and Sigurdsson, T. 2003. Assessment of golden redfish (*Sebastes marinus* L.) in Icelandic waters. *Scientia Marina* 67 (Suppl. 1):301-314. *Scientia Marina*, 67: 301-314.
- Bjørge, A. and Kovacs, K.M. (sci. eds.) 2005. Report of the working group on seabirds and mammals. The Scientific Basis for Environmental Quality Objectives (EcoQOs) for the Barents Sea Ecosystem. (in prep.) Norway, 2005.
- Bjørge, A., Skern-Mauritzen, M., and Rossmann, M. C. 2013. Estimated bycatch of harbour porpoise (*Phocoena phocoena*) in two coastal gillnet fisheries in Norway, 2006-2008. Mitigation and implications for conservation. *Biological conservation* 161:164-173.
- Bjørke, H. 1995. Norwegian Investigations on *Gonatus fabricii* (Lichtenstein). ICES CM 1995/K:12, Ref. N.
- Bogstad, B., and Filin, A. A. 2011. Multispecies and ecosystem modelling as tools for fishery management. Chapter 12.1 (p. 647-664) in Jakobsen, T., and Ozhigin, V. K. (eds.) 2011. The Barents Sea. Ecosystem, resources, management. Half a century of Russian-Norwegian cooperation. Tapir Academic Press.
- Bogstad B., and Gjørseter H., 1994. A method for calculating the consumption of capelin by cod. *ICES J. mar. Sci.* 51:273-280.
- Bogstad, B., Gjørseter, H., Haug, T., and Lindstrøm, U. 2015. A review of the battle for food in the Barents Sea: Cod vs. marine mammals. *Frontiers in Ecology and Evolution*, section Interdisciplinary Climate Studies. *Front. Ecol. Evol.* 3:29. doi: 10.3389/fevo.2015.00029
- Bogstad, B., Howell, D., Åsnes, M. N. (2004). A closed life-cycle model for Northeast Arctic cod. ICES C.M.2004/K:26, 12 pp.
- Bogstad, B., Haug, T. and Mehl, S. 2000. Who eats whom in the Barents Sea? *NAMMCO Sci. Publ.* 2: 98-119.
- Bogstad, B., Hiis Hauge, K., and Ulltang, Ø. 1997. MULTSPEC – A Multi-Species Model for Fish and Marine Mammals in the Barents Sea. *J. Northw. Atl. Fish. Sci.* 22: 317-341.
- Bogstad, B. and Mehl, S. 1997. Interactions Between Cod (*Gadus morhua*) and Its Prey Species in the Barents Sea. *Forage Fishes in Marine Ecosystems*. Proceedings of the International Symposium on the Role of Forage Fishes in Marine Ecosystems. Alaska Sea Grant College Program Report No. 97-01: 591-615. University of Alaska Fairbanks.

- Borges, T. C. 1990. A contribution to the biology of the ommastrephid squid, *Todarodes sagittatus*, with emphasis on the possible application of morphometric data to population studies. Norwegian college of Fisheries Science at the University of Tromsø. Tromsø, University of Tromsø. Doctor scientiarum. 153 pp.
- Brander, K. 2002. Predicting weight at age. Internal ICES note to assessment working groups. 2003. Software implementation of process models. Working Document No. 2 to the Arctic Fisheries Working Group, San Sebastian, Spain, 23 April- 2 May 2003.
- Breivik, O. N., Storvik, G. O., Nedreaas, K. H. 2017. Latent Gaussian models to predict historical bycatch in commercial fishery. *Fisheries Research* 185: 62-72. doi: [10.1016/j.fishres.2016.09.033](https://doi.org/10.1016/j.fishres.2016.09.033).
- Bulgakova, T., 2005. 'To recruitment prognosis of NEA cod'. Working document #20 in: Report of the Arctic Fisheries Working Group', Murmansk, Russia, April 19-28, 2005. ICES C.M. 2005/ACFM:20, 564 pp.
- Bundy, A., G. Chouinard, D. Duplisea, G. Jamieson, M. Koen-Alonso, M. Koops, J. Rice, and L. Richards. 2008. National Workshop on Modelling Tools for Ecosystem Approaches to Management. Canadian Science Advisory Secretariat. Proceedings Series 2008/007.
- Cairns, D. K. 1992. Bridging the gap between ornithology and fisheries science: use of seabird data in stock assessment models. *Condor*, 94: 811–824.
- Cañas, L., Stransky, C., Schlickeisen, J., Sampedro, M. P., and Fariña, A. C. 2012. Use of the otolith shape analysis in stock identification of anglerfish (*Lophius piscatorius*) in the Northeast Atlantic. – *ICES Journal of Marine Science*, 69: 1–7.
- Charnov, E.L., Gislason, H., and Pope, J.G. 2013. Evolutionary assembly rules for fish life histories. *Fish Fish.* 14(2): 213-224.
- Christensen V. and Pauly D. (1992) "ECOPATH II - A software for balancing steady-state ecosystem models and calculating network characteristics" *Ecological Modelling*, 61:169-185.
- Christensen, V. and Walters, C.J. 2004. Ecopath with Ecosim: methods, capabilities and limitations. *Ecological Modelling* 172 (2-4) 129–139.
- Dahle, G., Johansen, T., Westgaard, J-L., Aglen, A., Glover, K. 2018. Genetic management of mixed-stock fisheries "real-time": The case of the largest remaining cod fishery operating in the Atlantic in 2007–2017. *Fisheries Research* 205 (2018) pp 77-85.
- Dahle, G. et al. submitted 2018. Genetic analysis of coastal cod (*Gadus morhua* L.) sampled on spawning sites reveals a gradient of connectivity throughout Norway's >2500 km coastline. Submitted to *BMC Genetics*.
- Dalpadado, P., B. Bogstad, H. Gjøsæter, S. Mehl and H. R. Skjoldal. 2002. Zooplankton-fish interactions in the Barents Sea. In *Large Marine Ecosystems*. Blackwell Science Inc.
- Dalpadado, P., Arrigo, K.R., Hjøllø, S.S., Rey, F., Ingvaldsen, R.B., Sperfeld, E., et al. 2014. Productivity in the Barents Sea - Response to Recent Climate Variability. *PLoS ONE* 9(5): e95273. doi:10.1371/journal.pone.0095273
- Darby C.D., Flatman S. Information Technology Series, No. 1. Lowestoft: MAFF, Directorate of Fisheries Research; 1994. Virtual Population Analysis: Version 3.1 (Windows/DOS) User Guide. 85 pp.
- Denisenko, S.G. 1989. Ecology and resources of Iceland scallop in the Barents Sea. Kola Science Center Press. Apatity, 1989. 140 p. (in Russian)
- Devine, J. A., and Heino, M. 2011. Investigating the drivers of maturation dynamics in Barents Sea haddock (*Melanogrammus aeglefinus*). *Fisheries Research*, 110: 441–449.
- Dingsør, G. E. 2001. Estimation of discards in the commercial trawl fishery for Northeast Arctic cod (*Gadus morhua* L.) and some effects on assessment. Cand. Scient thesis, University of Bergen, 2001.
- Dingsør, G.E. 2005. Estimating abundance indices from the international 0-group fish survey in the Barents Sea. *Fisheries Research* 72(2-3): 205-218.
- Dingsør G.E., Bogstad B., Stiansen J.E., and Subbey S. 2010. How can we assess recruitment models for (age-3) NEA cod? / WD 19, AFWG 2010.

- Dolgov, A. V. 2006. Food abundance and consumption by the most abundant fish species in the Barents Sea. WD 29, AFWG 2006.
- Dolgov, A.V., Yaragina, N.A., Orlova, E.L., Bogstad, B., Johannesen, E., Mehl, S. 2007. 20th anniversary of the PINRO-IMR cooperation in the investigations of fish feeding in the Barents Sea – results and perspectives. In : Haug, T., Misund, O.A., Gjørseter, H., and Røttingen, I. (eds.). Long-term bilateral Russian-Norwegian scientific cooperation as a basis for sustainable management of living marine resources in the Barents Sea. Proceeding of the 12th Norwegian-Russian Symposium. Tromsø, 21-22 August 2007. P.44-78.
- Dorn, MW 2002. Advice on West Coast Rockfish Harvest Rates from Bayesian Meta-Analysis of Stock-Recruit Relationships. North American Journal of Fisheries Management 22:280–300. American Fisheries Society 2002.
- Drinkwater, K.F. 2005. The response of Atlantic cod (*Gadus morhua*) to future climate change, ICES Journal of Marine Science, 62:1327-1337
- Drobysheva, S.S., 1967. The role of specific composition in the formation of the Barents Sea euphausiid abundance, Trudy PINR, 20: 195-204. (In Russian)
- Drobysheva, S.S. 1994. The Barents Sea euphausiids and their role in the formation of fishing biological production. Murmansk: PINRO Press, 1994. 139 p. (in Russian).
- Drobysheva, S.S., Nesterova, V.N., Nikiforov, A.G., and Zhukova, N.G. 2003. Role of a warm water component in formation of euphausiids local aggregations in the southern Barents Sea. Voprosy rybolovstva, 4(2/14): 209-216. (In Russian).
- Duarte R, Azevedo M, & Pereda P (1997) Study of the growth of southern black and white monkfish stocks. *ICES Journal of Marine Science* 54(5): 866-874.
- Dyb JE 2003. Bestandsstudie av breiflabb (*Lophius piscatorius* L.) langs kysten av Møre og i Nordsjøen. *Cand.scient* thesis, University of Bergen. 105 pp. (In Norwegian)
- Eikeset A.M., Richtera A., Dunlop E.S., Dieckmann U., and Stenseth N. C. 2013. Economic repercussions of fisheries-induced evolution. PNAS vol. 110, no. 30: 12259–12264.
- Ellingsen, I.H., Dalpadado, P., Slagstad, D., and Loeng, H. 2008. Impact of climatic change on the biological production in the Barents Sea. *Climatic Change*, 87: 155-175.
- Eriksen, E., Prozorkevich, D. V. and Dingsør, G. E. 2009. An evaluation of 0-group abundance indices of Barents Sea Fish Stocks. *The Open fish Science Journal*, 2: 6-14.
- Fauchald, P., and Erikstad, K.E. 2002. Scale dependent predator-prey interaction in the marine ecosystem: the aggregative response of guillemots to capelin under variable capelin abundance and patchiness. *Marine Ecology Progress Series* 231:279-291.
- Filin A. A. (2007). Stochastic model for simulation of the cod stock dynamics in the Barents Sea taking into account ecosystem considerations Working document #13 in: Report of the Arctic Fisheries Working Group', Vigo, Spain, 17-28 April, 2007. ICES C.M. 2007/ACFM:20, 564 pp.
- Filin, A. A. 2011. Simulation of changes in the harvesting strategy of Northeast Arctic cod as response to climate. In: Climate change and the effects on Barents Sea marine living resources. Proceedings of the 15th Russian-Norwegian Symposium, Longyearbyen 7-8 September 2011. IMR/PINRO Report Series 2/2011, p. 273-280.
- Filin, A. A., Røttingen, I. 2005. Principles of the ecosystem approach to Fisheries management. Pp. 21-30 in Shibakov, V. (Ed.) Proceedings of the 11th Joint Russian-Norwegian Symposium: Ecosystem dynamics and optimal long-term harvest in the Barents Sea fisheries. Murmansk, Russia 15-17 August 2005. IMR/PINRO Report series 2/2005. Institute of Marine Research, Bergen.
- Folkow, L.P., Haug, T., Nilssen, K.T. and Nordøy, E.S. 2000. Estimated food consumption of minke whales *Balaenoptera acutorostrata* in Northeast Atlantic waters in 1992-1995. NAMMCO Scientific Publications 2: 65-80.
- Fulton, E.A., M. Fuller, A.D.M. Smith, and A.E. Punt. 2004. Ecological Indicators of the Ecosystem Effects of Fishing: Final Report. Australian Fisheries Management Authority Report, R99/1546.

- Furness, R.W. 2003. Impact of fisheries on seabird communities. *Scientia Marina* 67 (Suppl. 2): 33-45.
- Furness, R., and Camphuysen, K. 1997. Seabirds as monitors of the marine environment. *ICES Journal of Marine Science* 54(4): 726-737.
- Gjøsæter, H., Bogstad, B. and Tjelmeland, S. 2002. Assessment methodology for Barents Sea capelin, *Mallotus villosus* (Müller). *ICES Journal of Marine Science*, 59: 1086-1095.
- Gjøsæter, H., Bogstad, B., and Tjelmeland, S. 2009. Ecosystem effects of three capelin stock collapses in the Barents Sea. *In Fifty Years of Norwegian-Russian Collaboration in Marine Research*. Ed. by Haug, T., Røttingen, I., Gjøsæter, H., and Misund, O. A. Thematic issue No. 2, *Marine Biology Research* 5(1):40-53
- Gjøsæter, H., Bogstad, B., Tjelmeland, S., and Subbey, S. 2015. Retrospective evaluation of the Barents Sea capelin management advice *Marine Biology Research* 11(2):135-143.
- Gjøsæter, H., Hallfredsson, E. H., Mikkelsen, N., Bogstad, B., and Pedersen, T. 2016. Predation on early life stages is decisive for year class strength in the Barents Sea capelin (*Mallotus villosus*) stock. *ICES Journal of Marine Science* 73(2):182-195.
- Golikov, A.V., Sabirov, R.M., and Lubin, P.A. 2008. Distribution and ecology of cephalopods in Barents Sea. *Abst. Intern. Conf. Biodiversity and Functioning of Aquatic Ecosystems in the Baltic Sea Region*. Klaipeda (Lithuania). Pp. 36-37.
- Golovanov, S.E., Yaragina, N.A. and Sokolov, A.M. 2006. Revised indices of the Northeast Arctic cod abundance according to the data from Russian trawl-acoustic survey (TAS) for bottom fish species. WD #21 for AFWG 2006.
- Golovanov S.E., Sokolov A.M., and Yaragina, N.A. 2007. Revised indices of the Northeast Arctic cod abundance according to the 1982-2006 data from Russian trawl-acoustic survey (TAS). Working Document #3 for AFWG 2007.
- Gulland, J. 1964. The abundance of fish stocks in the Barents Sea. *Rapp. P.-v. Réun. Cons. Int. Explor. Mer*, 155: 126-137.
- Gullestad, P., Blom, G., Bakke, G., and Bogstad, B. 2015. The “DiscardBanPackage”: Experiences in efforts to improve the exploitation patterns in Norwegian fisheries. *Marine Policy* 54: 1-9.
- Hallfredsson, E. and Vollen, T. 2015. Two abundance indices for Greenland halibut based on the Joint Ecosystem Survey in the Barents Sea and previous surveys in the nursery area. Working document no 20. in: Report of the Arctic Fisheries Working Group (AFWG), 23-29 April 2015, Hamburg, Germany. *ICES CM 2015/ACOM:05*. 639 pp.
- Hamel, O.S. 2014. A method for calculating a meta-analytical prior for the natural mortality rate using multiple life history correlates. *ICES J. Mar. Sci.* 72(1): 62-69.
- Hansen, C., Skern-Mauritzen, M., Meeren, G. I., Jähkel, A., and Drinkwater, K. 2016. Set-up of the Nordic and Barents Seas (NoBa) Atlantis model. *Fisken og havet* 2/2016, 110 pp. Institute of Marine Research, Bergen, Norway.
- Haug, T., Gjøsæter, H., Lindstrøm, U. and Nilssen, K.T., 1995. Diet and food availability for northeast Atlantic minke whales (*Balaenoptera acutorostrata*), during the summer of 1992, *ICES Journal of Marine Science*, 52: 77-86.
- Haug, T., and Nilssen, K. T. 1995. Ecological implications of harp seal *Phoca groenlandica* invasions in northern Norway. In: Whales, seals, fish and man, A. S. Blix, L. Walløe and Ø. Ulltang (eds.). Elsevier Science B. V.: 545–556.
- Hauge, K. H., Blanchard, A., Andersen, G., Boland, R., Grøsvik, B. E., Howell, D., Meier, S., Olsen, E., and Vikebø, F. 2013. Inadequate Risk Assessments – A Study on Worst-Case Scenarios Related to Petroleum Exploitation in the Lofoten Area. *Marine Policy* 08/2013; DOI:<http://dx.doi.org/10.1016/j.marpol.2013.07.008>
- Heino M, Dieckmann U, Godø OR 2002. Reaction norm analysis of fisheries-induced adaptive change and the case of the Northeast Arctic cod. *ICES CM 2002/Y: 14*.

- Hirst, D., Aanes, S., Storvik, G. and Tvete, I.F. 2004. Estimating catch at age from market sampling data using a Bayesian hierarchical model. *Journal of the Royal statistical society. Series C, applied statistics*, 53: 1-14.
- Hirst, D., Storvik, G., Aldrin, M., Aanes, S. and Huseby, R.B. 2005. Estimating catch-at-age by combining data from different sources. *Canadian Journal of Fisheries and Aquatic Sciences* 62:1377-1385.
- Hirst, D., Storvik, G., Rognebakke, H., Aldrin, M., Aanes, S., and Vølstad, J. H. 2012. A Bayesian modelling framework for the estimation of catch-at-age of commercially harvested fish species. *Can. J. Fish. Aquat. Sci.* 69: 2064–2076.
- Hislop, J. R. G., Gallego, A., Heath, M. R., Kennedy, F. M., Reeves, S. A., and Wright, P. J. 2001. A synthesis of the early life history of the anglerfish, *Lophius piscatorius* (Linnaeus, 1758) in northern British waters. *ICES Journal of Marine Science* 58:70–86.
- Hjermann, D. Ø., Bogstad, B., Eikeset, A. M., Ottersen, G., Gjøsæter, H., and Stenseth, N. C. 2007. Food web dynamics affect Northeast Arctic cod recruitment. *Proceedings of the Royal Society, Series B* 274:661-669.
- Hjermann, D. Ø., Bogstad, B., Dingsør, G. E., Gjøsæter, H., Ottersen, G., Eikeset, A. M., and Stenseth, N. C. 2010. Trophic interactions affecting a key ecosystem component: a multi-stage analysis of the recruitment of the Barents Sea capelin. *Canadian Journal of Fisheries and Aquatic Science* 67:1363-1375.
- Hjøllo, S.S., G. Huse, M.D. Skogen and W. Melle, 2012, Modelling secondary production in the Norwegian Sea with a fully coupled physical/primary production/individual-based *Calanus finmarchicus* model system *Mar. Bio. Res.*, 8, 508-526.
- Hoenig, J. M. 1983. Empirical use of longevity data to estimate mortality rates. *Fisheries Bulletin U.S.* 81:898-903.
- Hollowed, A.B., Planque, B. and Loeng, H. 2013. Potential movement of fish and shellfish stocks from the sub-Arctic to the Arctic Ocean. *Fisheries Oceanography* 22(5): 355-370. DOI: 10.1111/fog.12027
- Hop, H., and Gjøsæter, H. 2011. Polar cod and capelin in relation to water masses and sea ice conditions. In: *Climate change and the effects on Barents Sea marine living resources. Proceedings of the 15th Russian-Norwegian Symposium, Longyearbyen 7-8 September 2011. IMR/PINRO Report Series 2/2011*, p. 81-84.
- Howell, D., and Bogstad, B. 2010. A combined Gadget/FLR model for management strategy evaluations of the Barents Sea fisheries. *ICES Journal of Marine Science* 67:1998-2004.
- Howell, D. and Filin, A. 2013. Modelling the likely impacts of climate-driven changes in cod-capelin overlap in the Barents Sea. *ICES Journal of Marine Science* doi: 10.1093/icesjms/fst172.
- Howell, D., Filin, A. A., Bogstad, B., and Stiansen, J. E. 2013. Unquantifiable uncertainty in projecting stock response to climate change: Example from NEA cod. *Marine Biology Research* 9(9): 920-931.
- Humborstad, O.B., Løkkeborg, S., Hareide, N.R., and Furevik, D.M. 2003. Catches of Greenland halibut (*Reinhardtius hippoglossoides*) in deepwater ghostfishing gillnets on the Norwegian continental slope. *Fisheries Research* 64 (2-3): 163-170.
- Huse, G. 2005. Artificial evolution of *Calanus*' life history strategies under different predation levels. 11:19.
- Huse G, Ellingsen IH. 2008. Capelin migrations and climate change - a modelling analysis. *Climatic Change* 87:177-191.
- Huse G, Giske J. 1998. Ecology in Mare Pentium: an individual-based spatio-temporal model for fish with adapted behaviour. *Fisheries Research* 37:163-178.
- Huse G, Johansen GO, Gjøsæter H, Bogstad B. 2004. Studying spatial and trophic interactions between capelin and cod using individual-based modelling. *ICES Journal of Marine Science* 61:1201-1213.
- Hoie, H., Bernreuther, M., Ågotnes, P., Beußel, F., Koloskova, V., Mjanger, H., Schröder, D., Senneset, H. and Zuykova, N. 2009. Report of Northeast Arctic cod otolith exchange between Russia, Norway and Germany 2008. WD # 6 ICES Arctic Fisheries Working Group 2009, San Sebastian 21-27th April 2009.

- ICES 1997. Report of the ICES/NAFO workshop on Greenland halibut age determination. 26-29 November 1996, Reykjavik, Iceland. ICES CM1997/G:1. 16 pp.
- ICES 1998. Study Group on the Precautionary Approach to Fisheries Management. ICES CM 1998/ACFM:10.
- ICES 2001. Report of the Arctic Fisheries Working Group. ICES Headquarters August 2000. ICES CM 2001/ACFM:02. 340 pp.
- ICES 2001. Report of the Arctic Fisheries Working Group. Bergen, Norway, 24 April – 3 May 2001. ICES CM 2001/ACFM:19. 380 pp.
- ICES 2003. Study Group on Biological Reference Points for Northeast Arctic Cod. Svanhovd, Norway 13-17 January 2003. ICES CM 2003/ACFM:11.
- ICES 2003. Study Group on Precautionary Reference Points for Advice on Fisheries Management. ICES Headquarters 24-26 February 2003. ICES CM 2003/ACFM:15.
- ICES 2006. Report of the Workshop on Simple Mixed Fisheries Management Models (WKMIXMAN), 9–13 January 2006, ICES Headquarters. ICES CM 2006/ACFM:14. 47 pp.
- ICES 2006a. ICES Workshop on Biological Reference Points for North East Arctic Haddock (WKHAD). Svanhovd, Norway, 6-10 March 2006. ICES C.M. 2006/ACFM:19, 102 pp.
- ICES 2006b. Report of the Arctic Fisheries Working Group, Copenhagen 19-28 April 2006. ICES C.M. 2006/ACFM:25, 594 pp.
- ICES 2007b. Report of the Arctic Fisheries Working Group, Vigo, Spain 18-27 April 2007. ICES C.M. 2007/ACFM:16, 651 pp.
- ICES 2008. Report of the Workshop on Methods to Evaluate and Estimate the Accuracy of Fisheries Data used for Assessment (WKACCU), 27–30 October 2008, Bergen, Norway. ICES CM 2008/ACOM:32. 41 pp.
- ICES 2009. Report of the Benchmark Workshop on Short-lived Species (WKSHORT). ICES C.M. 2009/ACOM: 34: 1-166.
- ICES 2009. Report of the Workshop on methods to evaluate and estimate the precision of fisheries data used for assessment (WKPRECISE), 8-11 September 2009, Copenhagen, Denmark. ICES CM 2009/ACOM:40. 43 pp.
- ICES. 2009. Report of the Workshop on analytical methods for evaluation of extinction risk of stocks in poor condition (WKPOOR1), 18-20 May 2009, Copenhagen, Denmark. ICES CM 2009\ACOM:29. 21 pp.
- ICES 2009. Report of the workshop for the exploration of the dynamics of fish stocks in poor conditions (WKPOOR2). ICES CM, 2009/ACOM:49: 30pp.
- ICES 2010. Report of the Arctic Fisheries Working Group, Lisbon/Bergen, 22-28 April 2010. ICES C.M. 2010/ACOM:05, 664 pp.
- ICES 2010. Report of the Benchmark Workshop on Roundfish (WKROUND), 9-16 February 2010, Copenhagen, Denmark. ICES CM 2010/ACOM: 36. 183 pp.
- ICES 2010. Report of the workshop on implementing the ICES FMSY framework (WKFRAME). ICES CM, 2010/ACOM:54: 79pp.
- ICES 2011. Report of the Arctic Fisheries Working Group, Hamburg, Germany 28 April – 4 May 2011. ICES C.M. 2011/ACOM:05, 659 pp.
- ICES. 2011. Report of the Study Group on Recruitment Forecasting (SGRF), 17–20 October 2011, Copenhagen, Denmark. *In* ICES CM 2011/ACOM:31, 36 pp.
- ICES 2011. Report of the Workshop of Implementing the ICES Fmsy framework (WKFRAME2), 10-14 February 2011, ICES, Denmark. ICES C. M. 2011/ACOM:33, 110 pp.
- ICES 2011. Report of the Benchmark Workshop on Roundfish and Pelagic Stocks, Lisbon 24-31 January 2011. ICES C.M. 2011/ACOM:38, 418 pp.

- ICES. 2011. Report of the Planning Group on Commercial Catches, Discards and Biological Sampling (PGCCDBS), 7 - 11 February 2011, Vienna, Austria. ICES CM 2011/ACOM:40. 174 pp.
- ICES. 2011. Report of the Workshop on Age Reading of Greenland Halibut (WKARGH), 14-17 February 2011, Vigo, Spain. ICES CM 2011/ACOM:41. 39 pp.
- ICES. 2011. Report of the Working Group on Practical Implementation of Statistically Sound Catch Sampling Programs, 8 - 10 November 2011, Bilbao, Spain. ICES CM 2011 / ACOM:52. 55 pp.
- ICES. 2012. ICES Implementation of Advice for Data-limited Stocks in 2012 in its 2012 Advice. ICES CM 2012/ACOM:68. 42 pp.
- ICES. 2012. Report of the Study Group on Recruitment Forecasting (SGRF), 15-19 October 2012, Barcelona, Spain. ICES CM 2012/ACOM:24. 36 pp.
- ICES 2012. Report of the benchmark workshop on redfish (WKRED). ICES CM, 2012/ACOM: 48: 289 pp.
- ICES. 2013. Report of the second Workshop on Practical Implementation of Statistical Sound Catch Sampling Programmes, 6 - 9 November 2012, ICES Copenhagen. ICES CM 2012 / ACOM:54 71 pp.
- ICES 2013. Report of the Arctic Fisheries Working Group, Copenhagen, 18-24 April 2013. ICES C.M. 2013/ACOM:05, 682 pp.
- ICES 2013. Report of the third Workshop on Practical Implementation of Statistical Sound Catch Sampling Programmes, 19-22 November 2013, ICES HQ, Copenhagen, Denmark. ICES CM2013/ACOM:54. 109 pp.
- ICES. 2013. Report of the Study Group on Recruitment Forecasting (SGRF), 18-22 November 2013, Lisbon. ICES CM 2013/ACOM:24. 29 pp.
- ICES 2013. Report of the Benchmark Workshop on Greenland Halibut Stocks (WKBUT), 26-29 November 2013, Copenhagen, Denmark. ICES CM 2013/ACOM:44
- ICES 2014. Report of the Data Compilation Workshop on Northeast Arctic Greenland Halibut and Assessment Methods (DCWKNGHD), 10-12 November 2014, Murmansk, Russia. ICES CM 2014/ACOM:65. 58pp.
- ICES 2014. Report of the Inter-Benchmark Protocol on Northeast Arctic Saithe in Subareas I and II (IBP NEA saithe), March/April 2014, by correspondence. ICES CM 2014/ACOM: 53, 94 pp.
- ICES 2014. Report of the Working Group on Harp and Hooded Seals Quebec City 17-21 November 2014. ICES C. M. 2014/ACOM:20, 62 pp.
- ICES. 2015. Report of the Benchmark Workshop on Arctic Stocks (WKARCT), 26-30 January 2015, ICES Headquarters, Denmark. ICES CM 2015\ACOM:31. 126 pp.
- ICES 2015. Report of the Arctic Fisheries Working Group, Hamburg, Germany, 23-29 April 2015. ICES C.M. 2015/ACOM:05, 590 pp.
- ICES 2015. Report of the Inter Benchmark Process on Greenland Halibut in ICES areas I and II (IBPHALI). By Correspondence, August 2015. ICES CM 2015/ACOM:54, 41 pp.
- ICES 2015. Report of the NAFO/ICES Pandalus Assessment Group (NIPAG), 9-16 September 2015, St. John's, Newfoundland, Canada. ICES CM 2015/ACOM: 14. 85 pp.
- ICES 2015. Report of the first Workshop on Management Plan Evaluation on Northeast Arctic cod and haddock and Barents Sea capelin, 24-26 November 2015, Murmansk, Russia. ICES CM 2015/ACOM:60, 27 pp.
- ICES 2016. Report of the second Workshop on Management Plan Evaluation on Northeast Arctic cod and haddock and Barents Sea capelin, 25-28 January 2016, Kirkenes, Norway. ICES CM 2016/ACOM:47, 76 pp.
- ICES 2016. The Third Report of the Working Group on Integrated Assessments of the Barents Sea (WGIBAR). Murmansk, Russia, 22-25 February 2016. ICES CM 2016/SSGIEA:04, 126 pp.
- ICES 2016. Report of the Arctic Fisheries Working Group, ICES HQ, Copenhagen, Denmark. 19-25 April 2016. ICES CM 2016/ACOM:06. 621 pp.

- ICES 2016. Final Report of the Working Group on International Deep Pelagic Ecosystem Surveys (WGIDEEPS). ICES CM, ICES CM 2016/SSGIEOM:02: 21pp.
- ICES 2016. Report of the Workshop on age reading of Greenland halibut 2 (WKARGH2), 22-26 August, Reykjavik, Iceland. ICES CM 2016/SSGIEOM:16. 36 pp.
- ICES 2017. Report of Inter-benchmark protocol on Northeast Arctic cod (IBP ARCTIC COD 2017), Copenhagen, 3-6 April 2017. ICES CM 2017/ACOM:29.
- ICES. 2017. Report of the Working Group on the Integrated Assessments of the Barents Sea. WGIBAR 2017 Report 16-18 March 2017. Murmansk, Russia. ICES CM 2017/SSGIEA:04. 186 pp
- ICES. 2018a. Report of the Benchmark Workshop on Redfish Stocks (WKREDFISH), 29 January-2 February 2018, Copenhagen, Denmark. ICES CM 2018/ACOM:34. 174 pp.
- ICES. 2018b. Report of the Workshop on the evaluation of harvest control rules for *Sebastes mentella* in ICES areas 1 and 2 (WKREBMSE), June–August 2018, by correspondence. ICES CM 2018/ACOM:52. 32 pp.
- ICES. 2018c. Interim Report of the Working Group on the Integrated Assessments of the Barents Sea (WGIBAR). WGIBAR 2018 REPORT 9-12 March 2018. Tromsø, Norway. ICES CM 2018/IEASG:04. 210 pp.
- ICES 2018. NAFO/ICES Pandalus Assessment Group Meeting, 17 to 22 October 2018 NAFO Secretariat, Dartmouth, Canada. ICES CM 2018/ACOM:08
- ICES 2019. Report of the Working Group on the Integrated Assessments of the Barents Sea. WGIBAR 2019 Report, 12-14 February 2019. Murmansk, Russia. ICES CM 2019/IEASG:04. xx pp.
- ICES. 2019. Interbenchmark Protocol on assessment model changes for Cod (*Gadus morhua*) in subareas 1 and 2 (Northeast Arctic) (IBPNEACod2019). ICES Scientific Reports. 1:26. 26 pp. <http://doi.org/10.17895/ices.pub.5278>
- IUCN. 2001. IUCN red list categories and criteria. Version 3.1. IUCN (World Conservation Union, Gland, Switzerland, and Cambridge UK). (Also available in full text format at: www.iucnredlist.org/static/categories_criteria)
- IUCN. 2003. Guidelines for application of IUCN red list criteria at regional levels. IUCN (World Conservation Union, Gland, Switzerland, and Cambridge UK). (Also available in full text format at: www.iucnredlist.org/static/categories_criteria)
- Jakobsen, T., Korsbrekke, K., Mehl, S., and Nakken, O. 1997. Norwegian combined acoustic and bottom trawl surveys for demersal fish in the Barents Sea during winter. ICES CM 1997/Y:17.
- Jakobsen, T., and Ozhigin, V. K. (eds.) 2011. The Barents Sea. Ecosystem, resources, management. Half a century of Russian-Norwegian cooperation. Tapir Academic Press. 825 pp.
- Janusz, J., Trella, K. and Nermer, T. 2008. Report on Polish fishing activity and survey on redfish(*Sebastes mentella*) in the NEAFC Regulatory Area (ICES IIa) in 2007. Working document no 8. in: Report of the Arctic Fisheries Working Group (AFWG), 21-29 April 2008, ICES Headquarters, Copenhagen. ICES CM 2008\ACOM:01. 531 pp
- Janusz, J. and Trella, K. 2009. Results of the Polish fishing survey of Greenland halibut in the Svalbard Protection Zone (ICES IIb) in April 2008. Working document no 10. in: Report of the Arctic Fisheries Working Group (AFWG), 21 -27 April 2009, San-Sebastian, Spain. Diane Lindemann. 579 pp.
- Jennings, S. 2004. The ecosystem approach to fisheries management: a significant step towards sustainable use of the marine environment? Perspectives on ecosystem-based approaches to the management of marine resources. Marine Ecology Progress Series 274:269-303.
- Johansen, T., Westgaard, J.-I., Seliussen, B.B., Nedreaas, K., Dahle, G., Glover, G.A., Kvalsund, R., and Aglen, A. 2017. "Real-time" genetic monitoring of a commercial fishery on the doorstep of an MPA reveals unique insights into the interaction between coastal and migratory forms of the Atlantic cod. ICES Journal of Marine Science (2017), doi:10.1093/icesjms/fsx22
- Johnsen, E., A. Totland, Å. Skålevik, A. J. Holmin, G. E. Dingsør, E. Fuglebakk, and N. O. Handegard. 2019. StoX: An open source software for marine survey analyses. 10:1523-1528.

- Jørgensen C., Enberg K., Dunlop E.S., Arlinghaus R., Boukal D.S., Brander K., Ernande B., Gårdmark A., Johnston F., Matsumura S., Pardoe H., Raab K., Silva A., Vainikka A., Dieckmann U., Heino M., Rijnsdorp A.D. 2008. The role of fisheries-induced evolution – response. *Science*, 320: 48-50.
- Kenchington, T.J. Natural mortality estimators for information-limited fisheries. *Fish and Fisheries*, 2014, 15.4: 533-562.
- Kennedy, J., Gundersen, A.C. and Boje, J. 2009. When to count your eggs: Is fecundity in Greenland halibut (*Reinhardtius hippoglossoides* W.) down-regulated? *Fisheries Research*, 100(3): 260-265.
- Kennedy, J., Gundersen, A.C., Høines, Å.S. and Kjesbu, O.S., 2011. Greenland halibut (*Reinhardtius hippoglossoides*) spawn annually but successive cohorts of oocytes develop over 2 years, complicating correct assessment of maturity. *Canadian Journal of Fisheries and Aquatic Sciences*, 68(2): 201-209.
- Kennedy, J., Hedeholm, R.B., Gundersen, A.C. and Boje, J., 2014. Estimates of reproductive potential of Greenland halibut (*Reinhardtius hippoglossoides*) in East Greenland based on an update of maturity status. *Fisheries Research*, 154: 73-81.
- Kjesbu, O.S., Righton, D., Krüger-Johnsen, M., Thorsen, A., Michalsen, K., Fonn, M., and Witthames, P.R. 2010. Thermal dynamics of ovarian maturation in Atlantic cod (*Gadus morhua*). *Canadian Journal of Fisheries and Aquatic Sciences* 67: 605-625.
- Korsbrekke, K. 1997. Norwegian acoustic survey of Northeast Arctic cod on the spawning grounds off Lofoten. ICES C.M 1997/Y:18.
- Kovalev, Yu.A., and Yaragina N.A. 2009. The effects of population density on the rate of growth, maturation, and productivity of the stock of the Northeast Arctic cod. *Journal of Ichthyology* 49, № 1: 56-65.
- Kovalev, Y., Prozorkevich, D., and Chetyrkin, A. 2017. Estimation of Ecosystem survey 2016 index in situation of not full area coverage. Working Document No. 12 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Kuparinen A., Stenseth N. C., Hutchings J. A. 2014. Fundamental population-productivity relationships can be modified through density-dependent feedbacks of life-history evolution. *Evol Appl* 7(10):1218-25.
- Kutti, T., Høisæter, T., Rapp, H.T., Humborstad, O.B., Løkkeborg, S., Nøttestad, L. 2005. Immediate effects of experimental otter trawling on a sub-arctic benthic assemblage inside the Bear Island Fishery Protection Zone in the Barents Sea. I Barnes, P.W., Thomas, J.P. (Eds.) *Benthic Habitats and the Effects of Fishing*. American Fisheries Society.
- Large, P. A., Graham, N. G., Hareide, N-R., Misund, R., Rihan, D. J., Mulligan, M. C., Randall, P. J., Peach, D. J., McMullen, P. H., and Harlay, X. 2009. Lost and abandoned nets in deep-water gillnet fisheries in the Northeast Atlantic: retrieval exercises and outcomes. *ICES Journal of Marine Science*, 66: 323–333.
- Lien, V. S., Budgell, W. P., Ådlandsvik, B. and Svendsen, E. 2006. Validating results from the model ROMS (Regional Ocean Modelling System), with respect to volume transports and heat fluxes in the Nordic Seas. *Fisken og havet*, 2006-2, 63 pp.
- Lien, V.S., Y. Gusdal, J. Albretsen, A. Melsom, and F.B. Vikebø, 2013: Evaluation of a Nordic Seas 4 km numerical ocean model archive. *Fisken og Havet*, 7, 79pp
- Lindstrøm, U., Harbitz, A., Haug, T., and Nilssen, K. 1998. Do harp seals *Phoca groenlandica* exhibit particular prey preferences? *ICES Journal of Marine Science*, 55, 941-953.
- Lindstrøm, U., Smout, S., Howell, D., and Bogstad, B. 2009. Modelling multispecies interactions in the Barents Sea ecosystem with special emphasis on minke whales, cod, herring and capelin. *Deep Sea Research Part II: Topological Studies in Oceanography* 56: 2068-2079.
- Loeng, H., Brander, K., Carmack, E., Denisenko, S., Drinkwater, K., Hansen, B., Kovacs, K., Livingston, P., McLaughlin, F., and Sakshaug, E. 2005. Marine Systems, In C. Symon, L. Arris, and W. Heal (Eds.), *ACIA Arctic Climate Impact Assessment*, pp 453–538. Cambridge University Press.
- Løkkeborg, S. 2003. Review and evaluation of three mitigation measures - bird-scaring line, underwater setting and line shooter - to reduce seabird bycatch in the North Atlantic longline fishery. *Fisheries Research* 60 (1): 11-16

- Løkkeborg, S. 2005. Impacts of trawling and scallop dredging on benthic habitats and communities. FAO Fisheries Technical Paper. No. 472. Rome, FAO. 2005. 58p.
- Marshall, C.T., and McAdam, B.J. 2007. [Integrated perspectives on genetic and environmental effects on maturation can reduce potential for errors of inference](#). Mar. Ecol. Prog. Ser. 335: 301-310.
- Marshall C.T., Kjesbu O.S., Yaragina N.A., Solemdal P., Ulltang Ø. 1998. Is spawner biomass a sensitive measure of the reproductive and recruitment potential of North-east Arctic cod? Canadian Journal of Fisheries and Aquatic Science, 55:1766-1783.
- Marshall C.T., Needle, C., Yaragina, N.A., Aijad, A., and Gusev, E.V., 2004. Deriving condition indices from standard fisheries databases and evaluating their sensitivity to variation in stored energy reserves. Can.J.Fish. Aquat. Sci., 61: 1900-1917.
- Marshall C. T., Needle C. L., Thorsen A., Kjesbu O. S., Yaragina N.A. 2006. Systematic bias in estimates of reproductive potential of cod stocks: implications for stock/recruit theory and management. Can.J.Fish.Aquat.Sci. 63:980-994.
- Mauchline J. 1998. The biology of calanoid copepods. Advances in Marine Biology 33, Academic Press, London. 710 p.
- Mehl, S., Zuykova, N.V. and Drevetnyak, K.V. 2011. Saithe. In The Barents Sea. Ecosystem, resources, management. Half a century of Russian-Norwegian cooperation, pp. 281-291. Ed. by T. Jakobsen. and V.K. Ozhigin. Tapir Academic Press, Trondheim.
- Mehl, S., Aglen, A., Alexandrov, D.I., Bogstad, B., Dingsør, G.E., Gjøsæter, H., Johannesen, E., Korsbrekke, K., Murashko, P.A., Prozorkevich, D.V., Smirnov, O., Staby, A., and Wenneck, T. de Lange, 2013. Fish investigations in the Barents Sea winter 2007-2012. IMR-Pinro Joint Report Series 1-2013, 97 pp.
- Mehl, S., Aglen, A., Bogstad, B., Dingsør, G.E., Gjøsæter, H., Godiksen, J., Johannesen, E., Korsbrekke, K., Staby, A., Wenneck, T. de Lange, Wienerroither, R., Murashko, P. A., and Russkikh, A. 2014. Fish investigations in the Barents Sea winter 2013-2014. IMR-PINRO Joint Report Series 2-2014, 73 pp.
- Mehl, S. Aglen, A., Amelkin, A., Dingsør, G.E., Gjøsæter, H., Godiksen, Staby, A., Wenneck, T. de Lange, and Wienerroither, R. 2015. Fish investigations in the Barents Sea, winter 2015. IMR-PINRO report series 2-2015. 61 pp.
- Mehl, S., Aglen, A., Bogstad, B., Dingsør, G.E., Korsbrekke, K., Olsen, E., Staby, A., Wenneck, T. de Lange, Wienerroither, R., Amelkin, A. V., and Russkikh, A. A. 2016. Fish investigations in the Barents Sea winter 2016. IMR-PINRO Joint Report Series 4-2016, 78 pp.
- Mehl, S., Aglen, A., Berg, E., Dingsør, G. and Korsbrekke, K. 2014. Akustisk mengdemåling av sei, kysttorsk og hyse, Finnmark – Møre, hausten 2014. [Acoustic abundance of saithe, coastal cod and haddock Finnmark – Møre Autumn 2014]. In *Norwegian, legends in English*. Toktrapport/Havforskningsinstituttet/ISSN 1503-6294/Nr. 1 – 2014 (38pp).
- Mehl, S, Aglen, A., Berg, E. Dingsør, G. and Korsbrekke, K. 2015. Akustisk mengdemåling av sei, kyst-torsk og hyse Finnmark – Møre hausten 2015. Acoustic abundance of saithe, coastal cod and haddock Finnmark – Møre Autumn 2015. In *Norwegian, legends in English*. Toktrapport/Havforskningsinstituttet/ISSN 1503-6294, Nr. 4 – 2015. 38pp.
- Mehl, S, Aglen, A., Berg, E. Dingsør, G. and Korsbrekke, K. 2016. Akustisk mengdemåling av sei, kyst-torsk og hyse Finnmark – Møre hausten 2016. Acoustic abundance of saithe, coastal cod and haddock Finnmark – Møre Autumn 2016. In *Norwegian, legends in English*. Toktrapport/Havforskningsinstituttet/ISSN 1503-6294, Nr. 15 – 2016. 38pp.
- Mehl, S., Aglen, A., Bogstad, B., Staby, A., de Lange Wenneck, T. Wienerroither, R., and Russkikh, A.A. 2017a. Fish investigations in the Barents Sea winter 2017. Working Document No. 3 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Mehl, S., Aglen, A. and Johnsen, E. 2017b. Re-estimation of swept area indices with CVs for main demersal fish species in the Barents Sea winter survey 1994 – 2016 applying the Sea2Data StoX software 2017. Fisker og Havet No. 10, 2016. Institute of Marine Research, Bergen, Norway. 43 pp.

- Mehl S., Aglen A., Johnsen E. and Å. Skålevik. 2018a. Estimation of acoustic indices with CVs for cod and haddock in the Barents Sea winter survey 1994 – 2017 applying the Sea2Data StoX software. *Fisken og Havet*, №5, 29 p.
- Mehl, S. Berg, E., Korsbrekke, K., Olsen, E., and Staby, A. 2018b. Acoustic abundance of saithe, coastal cod and haddock Finnmark – Møre Autumn 2017. Toktrapport/ Havforskningsinstituttet/ISSN 15036294/Nr. 2–2018.
- Mehl, S., and Yaragina, N. A. 1992. Methods and results in the joint PINRO-IMR stomach sampling program. In: Bogstad, B. and Tjelmeland, S. (eds.), *Interrelations between fish populations in the Barents Sea*. Proceedings of the fifth PINRO-IMR Symposium. Murmansk, 12–16 August 1991. Institute of Marine Research, Bergen, Norway, 5–15.
- Melle, W., Ellertsen, B., and Skjoldal, H.R. 2004. Zooplankton: The link to higher trophic levels. In Skjoldal, H.R. (ed.), *The Norwegian Sea Ecosystem*. Tapir Academic Press, Trondheim.
- Mikhaylov, A. 2016. Long-term HCR-parameters estimation for Greenland halibut based on production model. Working paper no 14. in: Report of the Arctic Fisheries Working Group (AFWG), Dates 19-25 April 2016, ICES HQ, Copenhagen, Denmark. ICES CM 2016/ACOM:06. 621 pp.
- Misund, R., Kolle, J., Haugen, S., and Hareide, N.-R. 2006. The Norwegian retrieval survey for lost gillnets 2005. Report from the Norwegian Directorate of Fisheries, March 2006.
- Mjanger H. and J.A. Godiksen. 2018. Report of the workshop on age reading of cod (*Gadus morhua* L.) and haddock (*Melanogrammus aeglefinus*) between IMR and PINRO May 30 – June 1 2017. Working Document no. 10. ICES Arctic Fisheries Working Group, ICES CM 2018/ACOM:XX.
- Mortensen, E. 2007. Er det variasjon i diett og lengde ved alder hos torsk (*Gadus morhua* L.) nord for 64°N? [in Norwegian]. Master Thesis, University of Tromsø, June 2007.
- Muñoz, P. D., Martínez-Escauriza, R., González, C., and Ramilo, L. 2016. Spanish bottom trawl spring survey “Fletán Ártico 2015” in the Slope of Svalbard (ICES Division IIb2). Working document no 10. in: Report of the Arctic Fisheries Working Group (AFWG), Dates 19-25 April 2016, ICES HQ, Copenhagen, Denmark. ICES CM 2016/ACOM:06. 621 pp.
- Muñoz, P. D., Bagués, A. S., González, C., González-Troncoso, D., Nogueira, A., and Ramilo, L. 2017. Spanish bottom trawl autumn survey “Fletán Ártico 2016” in the Slope of Svalbard (ICES Division IIb2). Working document no 7. in: Report of the Arctic Fisheries Working Group (AFWG), 19–25 April 2017, Copenhagen, Denmark. ICES CM 2017/ACOM:06. 493 pp.
- Nedreaas, K. 1998. Abundance measurements of saithe, Finnmark-Møre, autumn 1997. *Fisken og havet*, no.6/1998, 17 pp.
- Nedreaas, K. 2014. Review of historic commercial catch-per-unit-of-effort (cpue) series previously used in stock evaluation of Greenland halibut (*Reinhardtius hippoglossoides*) in ICES Subareas I and II. Are such cpue series appropriate to use in future Greenland halibut stock assessments? Working document no 2. in: Report of the Data Compilation Workshop on Northeast Arctic Greenland Halibut and Assessment Methods (DCWKNGHD), 10–12 November 2014, Murmansk, Russia. ICES CM 2014/ACOM:65. 56 pp.
- Nedreaas, K. 2017. Conversion factors for products of cod (*Gadus morhua*) north of 62°N in the winter season 2015 – inaccurate current practice. Working Document No. 15 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Nedreaas, K. 2017. CPUE data from Norwegian trawl fleet. Working Document No. 17 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Nedreaas K. and Smirnov O, 2003. Stock characteristics, fisheries and management of Greenland halibut (*Reinhardtius hippoglossoides* Walbaum) in the northeast Arctic. Proceedings of the 10th Norwegian-Russian Symposium Bergen, Norway 27-29 August 2003.
- Nielsen, A., Berg, C.W., 2014. Estimation of time-varying selectivity in stock assessments using state-space models. *Fish. Res.* 158:96-101.

- Nilssen, K.T., Pedersen, O.-P., Folkow, L. and Haug, T. 2000. Food consumption estimates of Barents Sea harp seals. NAMMCO Scientific Publications 2: 9-27.
- Norderhaug, M., Bruun, E. & Møllen, G.U. 1977. Barentshavets sjøfuglressurser. Norsk Polarinstitutt Meddelelser 104: 119 pp. (In Norwegian)
- Núñez, L.A., Hallfredsson, E.H. and Falk-Petersen, I.-B., 2015. Different maturity scales affect estimations of fecundity, TEP and spawning stock size of Greenland halibut, *Reinhardtius hippoglossoides* (Walbaum, 1792). Marine Biology Research: 1-10.
- Ofstad, L. H. 2013. Anglerfish *Lophius piscatorius* L. in Faroese waters. Life history, ecological importance and stock status. Dr. scient thesis, University of Tromsø. February 2013. 81 pp.
- Opdal, A.F., Vikebø, F.B. and Fiksen, Ø. 2011. Parental migration, climate and thermal exposure of larvae: spawning in southern regions gives Northeast Arctic cod a warm start. MEPS 439: 255-262.
- O'Sullivan M., Wright P. J., Verspoor E., Knox D., Piernney S. 2006. Absence of spatial and temporal genetic differentiation at microsatellite loci in north east Atlantic anglerfish (*Lophius piscatorius*). Journal of Fish Biology 2006; 69:261.
- Pedersen, T., Nilsen, M., Berg, E., and Reigstad M. 2007. Trophic model of a lightly exploited cod-dominated ecosystem. In; Nilsen, M: "Trophic interactions and the importance of macrobenthic invertebrate production in two Arctic fjord systems". A dissertation for PhD, University of Tromsø, Autumn 2007
- Pedersen, T. and Pope, J.G. 2003a. Sampling and a mortality model of a Norwegian cod (*Gadus morhua* L.) fjord population. Fish. Res. 63, 1-20.
- Pedersen, T., and Pope, J. 2003b. How may feeding data be integrated into a model for a Norwegian fjord population of cod (*Gadus morhua* L.)? Scientia Marina, 67(Suppl. 1): 155-169.
- Plagányi, É.E. 2007. Models for an Ecosystem Approach to Fisheries. FAO Fisheries Technical Paper No. 477. Rome, FAO. 2007. 108p. ISBN 978-92-5-105734-6.
- Planque, B. 2015. *S. mentella* assessment - handling the +group.: WD03 - ICES AFWG2015. 8 pp.
- Planque, B. 2016. Possible use of the Pelagic and slope surveys in the analytical assessment of *Sebastes mentella* in ICES areas 1 and 2.: WD05 - ICES AFWG2016. 6 pp.
- Planque, B., Vollen, T., Höffle, H., Harbitz A., 2018. Use of StoX for estimating numbers@age of *Sebastes mentella* from the international deep pelagic ecosystem survey in the Norwegian Sea.: WD07 - ICES AFWG2018. 38 pp.
- Ponomarenko, I.Ya. and N.A.Yaragina. 1990. Long-term dynamics of the Barents Sea cod feeding on capelin, euphausiids, shrimp and the annual consumption of these objects. Feeding resources and interrelations of fishes in the North Atlantic: Selected papers of PINRO. Murmansk. 1990. p.109-130 (in Russian).
- Ponomarenko, I.Ya. 1973. The influence of feeding and temperature conditions on survival of the Barents Sea "bottom" juvenile cod. Voprosy okeanografii severnogo promyslovogo basseina: Selected papers of PINRO. Murmansk, 1973. Vyp.34. p.210-222 (in Russian)
- Ponomarenko, I.Ya. 1984. Survival of "bottom juvenile" cod in the Barents Sea and determining factors. Cod reproduction and recruitment: Proceedings of the first Soviet-Norwegian symposium/VNIRO. – M., 1984. – p.301-315 (in Russian).
- Prozorkevich, D. (Ed.). 2015. Survey report from the joint Norwegian/Russian ecosystem survey in the Barents Sea and adjacent waters, August-October 2015. IMR/PINRO Joint Report Series, No. XXXX
- Rey, F. 1981. The development of the spring phytoplankton outburst at selected sites off the Norwegian coast. In: Sætre, R, Mork, M, editors. The Norwegian Coastal Current. Bergen: University of Bergen. Pp 649-680.
- Rey, F. 1993. Planteplanktonet og dets primærproduksjon i det nordlige Barentshavet. Fisken og Havet, 10. 39 p. (In Norwegian)
- Russkik, A. A., and Smirnov, O. V. 2016. Results of the Russian trawl survey of Greenland halibut in the Barents Sea and adjacent waters in 2015. Working document no 16. in: Report of the Arctic Fisheries

- Working Group (AFWG), Dates 19-25 April 2016, ICES HQ, Copenhagen, Denmark. ICES CM 2016/ACOM:06. 621 pp.
- Samuelsen A, Huse G, Hansen C. 2009. Shelf recruitment of *Calanus finmarchicus* off the west coast of Norway: role of physical processes and timing of diapause termination. Marine Ecology-Progress Series 386:163-180.
- Skaret, G., D. Prozorkevich, H. Gjøsæter, and B. Bogstad. 2018. Evaluation of potential sources of error leading to an underestimation of the capelin stock in 2016. Page 217 in Influence of Ecosystem Changes on Harvestable Resources at High Latitudes. The Proceedings of the 18th Russian-Norwegian Symposium. IMR/PINRO Joint Report Series, Murmansk, Russia.
- Skjøraasen, J. E., Kennedy, J., Thorsen, A., Fonn, M., Strand, B. N., Mayer, I., and Kjesbu, O. S. 2009. Mechanisms regulating oocyte recruitment and skipped spawning in Northeast Arctic cod (*Gadus morhua*). Canadian Journal of Fisheries and Aquatic Sciences, 66: 1582–1596.
- Skogen, M.D., Svendsen, E., Berntsen, J., Aksnes, D. & Ulvestad, K.B. 1995. Modelling the primary production in the North Sea using a coupled 3 dimensional Physical Chemical Biological Ocean model. Estuarine, Coastal and Shelf Science, 41:545-565.
- Skjoldal, H.P., Hassel A., Rey F., and Loeng H. 1987. Spring development of phytoplankton and reproduction of zooplankton in the central part of the Barents Sea in 1979-1984. The effect of hydrographic conditions on distribution and dynamics of commercial fish species populations of the Barents Sea. Selected papers of the 3rd Soviet-Norwegian Symposium. PINRO Press, Murmansk:71-111. (In Russian.)
- Slagstad, D., McClimans, T.A. 2005. Modeling the ecosystem dynamics of the Barents Sea including the marginal ice zone: I. Physical and chemical oceanography. Journal of Marine Systems 58, 1-18.
- Smirnov, O. 2011. Results of the Russian survey of Greenland halibut in the Barents Sea and adjacent waters 2009. Working document no 21. in: Report of the Arctic Fisheries Working Group (AFWG), 28 April - 4 May 2011, Hamburg, Germany. ICES CM 2011/ACOM:05. 659 pp.
- Sokolov, K. 2004. Estimation of cod discards in the Barents Sea and adjacent waters during the Russian bottom trawl fishery in 1983-2002. Working Document no. 7. ICES Arctic Fisheries Working Group, ICES CM 2004/ACFM:28.
- Sokolov A., Russkikh A., Kharlin S., Kovalev Yu. A., and Yaragina N.A. 2018. Results of the Russian trawl-acoustic survey on cod and haddock in the Barents Sea and adjacent waters in October-December 2017. Working Document no. 11. ICES Arctic Fisheries Working Group, ICES CM 2018/ACOM:XX.
- Solmundsson, J, Jonsson, E and Björnsson, H. 2007. Recent changes in the distribution and abundance of monkfish (*Lophius piscatorius*) in Icelandic waters. ICES CM 2007/K:02. 16pp.
- Staalesen, B.I. 1995. Breiflabb (*Lophius piscatorius* L.) langs norskekysten. Cand.scient thesis, University of Bergen. 88 pp. (In Norwegian, summary in English)
- Stenevik, E.K., and Sundby, S. 2007. Impacts of climate change on commercial fish stocks in Norwegian waters. Marine Policy 31: 19-31.
- Stiansen et al. 2005. IMR status report on the Barents Sea ecosystem, 2004-2005. WD1, AFWG 2005.
- Stiansen, J. E., Korneev, O., Titov, O., Arneberg, P. (Eds.), Filin, A., Hansen, J. R., Høines, Å., Marasaev, S. (Co-Eds.) 2009. Joint Norwegian-Russian environmental status 2008. Report on the Barents Sea Ecosystem. Part II – Complete Report. IMR/PINRO Joint Report Series, 2009(3), 375 pp. ISSN 1502-8828.
- Strand E, Huse G, Giske J. 2002. Artificial evolution of life history and behavior. The American Naturalist 159:624-644.
- Strann, K.B., Vader, W. and Barrett, R.T. 1991. Auk mortality in fishing nets in Northern Norway. Seabird: 13, 22-29.
- Subbey, S., JE. Stiansen, B. Bogstad, T. Bulgakova and O. Titov, 2008. Evaluating Recruitment Models for (Age 3) NEA Cod. Working document #27. Report of the Arctic Fisheries Working Group (AFWG). 21-29 April 2008, ICES Headquarters, Copenhagen. ICES CM 2008\ACOM:01.

- Subbey, S., Aanes, S., Vølstad, J. H. 2012. Evaluating how precision in estimates of abundance indices by age from a fisheries-independent trawl survey affects the assessment of Northeast Arctic Cod. ICES CM 2012/F:05.
- Sundby, S, P. Fossum, A. Sandvik, F.B. Vikebø, A. Aglen, L. Buhl-Mortensen, A. Folkvord, K. Bakkeplass, P. Buhl-Mortensen, M. Johannessen, M.S. Jørgensen, T. Kristiansen, C. Landa, M.S. Myksvoll and R. Nash. 2013. KunnskapsInnhenting Barentshavet-Lofoten-Vesterålen (KILO). Fisken og havet nr. 3-2013, 186 pp (in Norwegian).
- Sundby, S., and Nakken, O. 2008. Spatial shifts in spawning habitats of Arcto-Norwegian cod related to multidecadal climate oscillations and climate change. ICES Journal of Marine Science, 65: 953-962.
- Sundet, J.H., and Vahl, O. 1981. Seasonal changes in dry weight and biochemical composition of the tissues of sexually mature and immature Iceland scallops, *Chlamys islandica*. Marine Biology Association of the United Kingdom, 61: 1001- 1010.
- Sunnanå, K. 2016. Estimates of mortality and reproduction, including uncertainty, for the Northeast Arctic cod stock - a method to be used for long term prediction of stock status. In: Gjøsæter, H. Bogstad, B., Enberg, K., Kovalev, Yu, Shamrai, E. (eds.) 2016. Long term sustainable management of living marine resources in the Northern Seas. The proceedings from the 17th Norwegian-Russian symposium, Bergen, Norway, 16-17 March 2016. IMR/PINRO Report series 3-2016
- Svendsen, E., Skogen, M., Budgell, P., Huse, G., Ådlandsvik, B., Vikebø, F., Stiansen, J.E., Asplin, L., and Sundby, S. 2007. An ecosystem modelling approach to predicting cod recruitment. Deep-Sea Research Part II, 54:2810-2821.
- Tasker, M., and Furness, R. 2000. Seabird-fishery interactions: quantifying the sensitivity of seabirds to reductions in sandeel abundance, and identification of key areas for sensitive seabirds in the North Sea. Marine Ecology Progress Series, 202: 253-264.
- Thangstad, T., Bjelland, O., Nedreaas, KH, Jónsson, E., Laurenson, CH and Ofstad, LH 2006. Anglerfish (*Lophius* spp.) in Nordic waters. TemaNord 2006:570. © Nordic Council of Ministers, Copenhagen 2006. ISBN 92-893-1416-8. 162 pp.
- Then, A.Y., Hoenig, J.M., Hall, N.G., and Hewitt, D.A. 2014. Evaluating the predictive performance of empirical estimators of natural mortality rate using information on over 200 fish species. ICES J. Mar. Sci. 72(1): 82-92.
- Thygesen, U. H., Albertsen, C. M., Berg, C. W., Kristensen, K., and Nielsen, A. 2017. Validation of ecological state space models using the Laplace approximation Environmental and Ecological Statistics 24 (2): 317-339.
- Titov, O., Pedchenko, A. and Karsakov, A., 2005. 'Assessment of Northeast Arctic cod and capelin recruitment from data on ecological situation in the Barents Sea in 2004-2005'. Working document #16 in: Report of the Arctic Fisheries Working Group', Murmansk, Russia, April 19-28, 2005. ICES C.M. 2005/ACFM:20, 564 pp.
- Titov O.V. 2010. Assessment of population recruitment abundance of Northeast Arctic cod considering the environment data. WD 22, AFWG 2010.
- Titov, O. 2011. Assessment of population recruitment abundance of northeast Arctic cod considering the environment data. ICES AFWG 2011/WD:23.
- Titov O. 2018. Assessment of population recruitment abundance of Northeast Arctic cod considering the environment data. Working document 17. ICES Arctic Fisheries Working Group (AFWG), ICES CM 2018\ACOM:XX.
- Tjelmeland, S. 2002. A model for the uncertainty around the yearly trawl-acoustic estimate of biomass of Barents Sea capelin, *Mallotus villosus* (Müller). ICES Journal of Marine Science, 59: 1072-1080.
- Tjelmeland, S. 2005. Evaluation of long-term optimal exploitation of cod and capelin in the Barents Sea using the Bifrost model. Pp. 112-129 in: Shibanov, V. (ed.). "Ecosystem Dynamics and Optimal Long-term Harvest in Barents Sea Fisheries". Proceedings of the 11th Russian-Norwegian Symposium, Murmansk, Russia, 15-17 August 2005. IMR/PINRO report series 2/2005, 331 pp.

- Tjelmeland, S. and Lindstrøm, U. 2005. An ecosystem element added to the assessment of Norwegian spring spawning herring: implementing predation by minke whales. *ICES Journal of Marine Science* 62(2):285-294.
- Totland, A., and Godø, O. R. 2001. BEAM—an interactive GIS application for acoustic abundance estimation. In *Proceedings of the First Symposium on Geographic Information System (GIS) in Fisheries Science*. Fishery GIS Research Group. Saitama, Japan (Vol. 52).
- Trella, K. and J. Janusz 2011. Results of the Polish fishing survey of Greenland halibut (*Reinhardtius hippoglossoides*) in the Svalbard Protection Zone (ICES IIb) in March 2011. Working document no 6. in: Report of the Arctic Fisheries Working Group 2012 (AFWG), 20 - 26 April 2012, ICES Headquarters, Copenhagen. ICES CM 2012/ACOM:05. 670pp.
- Utne, K.R., S.S. Hjøllø, G. Huse and M. Skogen, 2012. Estimating the consumption of *Calanus finmarchicus* by planktivorous fish in the Norwegian Sea using a fully coupled 3D model system *Mar. Bio. Res.*, 8, 527-547.
- Vasilyev D. 2005 Key aspects of robust fish stock assessment. M: VNIRO Publishing, 2005. 105 p.
- Vasilyev D. 2006. Change in catchability caused by year class peculiarities: how stock assessment based on separable cohort models is able to take it into account? (Some illustrations for triple-separable case of the ISVPA model - TISVPA). ICES CM 2006/O:18. 35 pp
- Vasilyev D. 2018. NEA cod stock assessment by means of TISVPA. Working document 14. ICES Arctic Fisheries Working Group (AFWG), ICES CM 2018\ACOM:XX.
- Vasilyev D. 2019. NEA cod stock assessment by means of TISVPA. Working document 9. ICES Arctic Fisheries Working Group (AFWG), ICES CM 2019\ACOM:XX. XXX pp.
- Vasilyev D., Kovalev Y. and A.Chetyrkin, 2019. The effect of age-specific setting of variance parameters for the observations in North-East Arctic cod stock assessment by means of SAM. Working document 2. ICES Arctic Fisheries Working Group (AFWG), ICES CM 2019\ACOM:XX. XXX pp.
- Vikebø, F., Jørgensen, C., Kristiansen, T. and Fiksen, Ø. 2007, Drift, growth and survival of larval Northeast Arctic cod with simple rules of behaviour, *Marine Ecology Progress Series* Vol. 347: 207–219, 2007.
- Wassmann, P., Slagstad, D., Riser, C.W., Reigstad, M., 2006. Modelling the ecosystem dynamics of the Barents Sea including the marginal ice zone: II. Carbon flux and interannual variability. *Journal of Marine Systems* 59, 1-24.
- Westgaard, J.-I., Saha, A., Kent, M.P., Hansen, H.H., Knutsen, H., Hauser, L., Cadrin, S.X., Albert, O.T. and Johansen, T., 2016. Genetic population structure in Greenland halibut (*Reinhardtius hippoglossoides*) and its relevance to fishery management. *Canadian Journal of Fisheries and Aquatic Sciences*.
- Wiborg, K.F., 1962. Haneskjellet, *Chlamys islandica* (O.F. Müller) og dets utbredelse i noen nordnorske fjorder. *Fisken og Havet* 1962(3): 17-23 (In Norwegian).
- .
- Yaragina, N. A. 2010. Biological parameters of immature, ripening and non-reproductive mature Northeast Arctic cod in 1984-2006. *ICES Journal of Marine Science*, 67: 2033-2041.
- Yaragina N.A. and B. Bogstad. 2017. Historic difference in stock weight and maturity at age in Northeast Arctic cod. Working document 10. In: Report of the Arctic Fisheries Working Group (AFWG), 19–25 April 2017, Copenhagen, Denmark. ICES CM 2017/ACOM:06. 486 pp
- Yaragina, N.A., and Marshall, C.T. 2000. Trophic influences on interannual and seasonal variation in the liver condition index of Northeast Arctic cod. *ICES J. Mar. Sci.* 57: 42-55.
- Yaragina N.A. Nedreaas K.H., Koloskova V., Mjanger H., Senneset H., Zuykova N. and Ágotnes P. 2009. Fifteen years of annual Norwegian-Russian cod comparative age readings. *Marine Biology Research* 5(1): 54-65.
- Yaragina N.A. and Bogstad B. 2017. Historic difference in stock weight and maturity at age in Northeast Arctic cod. Working Document No. 10 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.

- Yaragina N. A., Kovalev Yu. A., and Chetyrkin A. 2018. Extrapolating predation mortalities back in time: an example from North-east Arctic cod cannibalism, *Marine Biology Research*: <https://doi.org/10.1080/17451000.2017.1396342>
- Zuykova N.V., Koloskova V.P., Mjanger H., Nedreaas K.H., Senneset H., Yaragina N.A., Ågotnes P. and Aanes S. 2009. Age determination of Northeast Arctic cod otoliths through 50 years of history. *Marine Biology Research* 5(1): 66-74.
- Zyryanov, S.V., Ostrovsky, S.Yu., Kakora, A.F., Mullyn, Yu.N., and Gromov, M.S. 2004. Possible death rates of marine mammals in fishing gears in the Barents Sea. In *Marine Mammals of Holarctic. Proceedings of the 3rd International Conference, Koktebele, Ukraine, 11-17 October 2004*. pp 231-234.
- Åsnes, M. N. 2014. PROST users guide. In: ICES. 2014. Report of the Workshop on Redfish Management Plan Evaluation (WKREDMP), 20–25 January, Copenhagen, Denmark. ICES CM 2014/ACOM:52. 269 pp.