

11 References

- Aanes, S. 2002. Precision in age determination of Northeast Arctic cod. Working document in: Report of the Arctic Fisheries Working Group. ICES Headquarters 16-25 April 2002. ICES CM 2002/ACFM:18. 451 pp.
- Aanes, S. and Pennington, M. 2003. On estimating the Age composition of the Commercial Catch of Northeast Arctic cod from a Sample of Clusters. ICES Journal of Marine Science, 60: 297-303.
- Aas, C. A. 2007. Predation by saithe on juvenile fish (cod and others). Masters thesis, University of Tromsø, 2007 (In Norwegian).
- Ajiad, A. M., Aglen, A., Nedreaas, K., and Kvamme, C. 2008. Estimating by-catch at age of Northeast arctic cod from the Norwegian shrimp fishery in the Barents Sea 1984-2006. WD2, AFWG 2008.
- Ajiad, A. M., Nedreaas, K., 2014. Revised and updated by-catch estimation of Northeast Arctic cod and beaked redfish from the Barents Sea shrimp fishery until 2013. Working Document no 15. ICES Arctic Fisheries Working Group, ICES CM 2014/ACOM:05.
- Albert, O.T. and Vollen, T., 2015. A major nursery area around the Svalbard archipelago provides recruits for the stocks in both Greenland halibut management areas in the Northeast Atlantic. ICES Journal of Marine Science: Journal du Conseil, 72(3): 872-879.
- Anon. 2013. The Norwegian Reference Fleet – a trustful cooperation between fishermen and scientists. Focus on Marine Research 3/2013, Institute of Marine Research, Norway. 12 pp.
- Anfinssen, L. 2002. Ressursøkologisk betydning av nise (*Phocaena phocaena*) i norske farvann. Dr. scient thesis. Institute of fisheries and marine biology, University of Bergen, Autumn 2002. 51pp. (In Norwegian).
- Berg, E., and Albert, O. T. 2003. Cod in fjords and coastal waters of North Norway: distribution and variation in length and maturity at age. ICES Journal of Marine Science, 60: 787-797.
- Berg, E., Sarvas, T. H., Harbitz, A., Fevolden, S.E. and Salberg, A.B. 2005. Accuracy and precision in stock separation of north-east Arctic and Norwegian coastal cod by otoliths - comparing readings, image analyses and a genetic method. Marine and Freshwater Research, No. 56 10 pp.
- Björnsson, H., and Sigurdsson, T. 2003. Assessment of golden redfish (*Sebastes marinus* L.) in Icelandic waters. Scientia Marina 67 (Suppl. 1):301-314. Scientia Marina, 67: 301-314.
- Bogstad B., and Gjøsæter H., 1994. A method for calculating the consumption of capelin by cod. ICES J. mar. Sci. 51:273-280.
- Bogstad, B., Haug, T. and Mehl, S. 2000. Who eats whom in the Barents Sea? NAMMCO Sci. Publ. 2: 98-119.
- Bogstad, B. and Mehl, S. 1997. Interactions Between Cod (*Gadus morhua*) and Its Prey Species in the Barents Sea. *Forage Fishes in Marine Ecosystems*. Proceedings of the International Symposium on the Role of Forage Fishes in Marine Ecosystems. Alaska Sea Grant College Program Report No. 97-01: 591-615. University of Alaska Fairbanks.
- Brander, K. 2002. Predicting weight at age. Internal ICES note to assessment working groups. 2003. Software implementation of process models. Working Document No. 2 to the Arctic Fisheries Working Group, San Sebastian, Spain, 23 April- 2 May 2003.
- Bulgakova, T., 2005. 'To recruitment prognosis of NEA cod'. Working document #20 in: Report of the Arctic Fisheries Working Group', Murmansk, Russia, April 19-28, 2005. ICES C.M. 2005/ACFM:20, 564 pp.

- Cañas, L., Stransky, C., Schlickeisen, J., Sampedro, M. P., and Fariña, A. C. 2012. Use of the otolith shape analysis in stock identification of anglerfish (*Lophius piscatorius*) in the Northeast Atlantic. – ICES Journal of Marine Science, 69: 1–7.
- Dingsør, G. E. 2001. Estimation of discards in the commercial trawl fishery for Northeast Arctic cod (*Gadus morhua* L.) and some effects on assessment. Cand. Scient thesis, University of Bergen, 2001.
- Dingsør, G.E. 2005. Estimating abundance indices from the international 0-group fish survey in the Barents Sea. Fisheries Research 72(2-3): 205-218.
- Dingsør G.E., Bogstad B., Stiansen J.E., and Subbey S. 2010. How can we assess recruitment models for (age-3) NEA cod? / WD 19, AFWG 2010.
- Dolgov, A. V. 2006. Food abundance and consumption by the most abundant fish species in the Barents Sea. WD 29, AFWG 2006.
- Dolgov, A.V., Yaragina, N.A., Orlova, E.L., Bogstad, B., Johannesen, E., Mehl, S. 2007. 20th anniversary of the PINRO-IMR cooperation in the investigations of fish feeding in the Barents Sea – results and perspectives. In : Haug, T., Misund, O.A., Gjøsæter, H., and Røttingen, I. (eds.). Long-term bilateral Russian-Norwegian scientific cooperation as a basis for sustainable management of living marine resources in the Barents Sea. Proceeding of the 12th Norwegian-Russian Symposium. Tromsø, 21-22 August 2007. P.44-78.
- Dorn, MW 2002. Advice on West Coast Rockfish Harvest Rates from Bayesian Meta-Analysis of Stock-Recruit Relationships. North American Journal of Fisheries Management 22:280–300. American Fisheries Society 2002.
- Duarte R, Azevedo M, & Pereda P 1997 Study of the growth of southern black and white monkfish stocks. *ICES Journal of Marine Science* 54(5): 866-874.
- Dyb JE 2003. Bestandsstudie av breiflabb (*Lophius piscatorius* L.) langs kysten av Møre og i Nordsjøen. Cand.scient thesis, University of Bergen. 105 pp. (In Norwegian)
- Eikeset A.M., Richtera A., Dunlop E.S., Dieckmann U., and Stenseth N. C. 2013. Economic repercussions of fisheries-induced evolution. PNAS vol. 110, no. 30: 12259–12264.
- Eriksen, E., Prozorkevich, D. V. and Dingsør, G. E. 2009. An evaluation of 0-group abundance indices of Barents Sea Fish Stocks. The Open fish Science Journal, 2: 6-14.
- Gjøsæter, H., Bogstad, B. and Tjelmeland, S. 2002. Assessment methodology for Barents Sea capelin, *Mallotus villosus* (Müller). ICES Journal of Marine Science, 59: 1086-1095.
- Gjøsæter, H., Bogstad, B., and Tjelmeland, S. 2009. Ecosystem effects of three capelin stock collapses in the Barents Sea. In Fifty Years of Norwegian-Russian Collaboration in Marine Research. Ed. by Haug, T., Røttingen, I., Gjøsæter, H., and Misund, O. A. Thematic issue No. 2, Marine Biology Research 5(1):40-53
- Gjøsæter, H., Bogstad, B., Tjelmeland, S., and Subbey, S. 2015. Retrospective evaluation of the Barents Sea capelin management advice Marine Biology Research 11(2):135-143.
- Gjøsæter, H., Hallfredsson, E. H., Mikkelsen, N., Bogstad, B., and Pedersen, T. 2016. Predation on early life stages is decisive for year class strength in the Barents Sea capelin (*Mallotus villosus*) stock. ICES Journal of Marine Science 73(2):182-195.
- Golovanov S.E., Sokolov A.M., and Yaragina, N.A. 2007. Revised indices of the Northeast Arctic cod abundance according to the 1982-2006 data from Russian trawl-acoustic survey (TAS). Working Document #3 for AFWG 2007.
- Gulland, J. 1964. The abundance of fish stocks in the Barents Sea. Rapp. P.-v. Réun. Cons. Int. Explor. Mer, 155: 126-137.
- Heino M, Dieckmann U, Godø OR 2002. Reaction norm analysis of fisheries-induced adaptive change and the case of the Northeast Arctic cod. ICES CM 2002/Y: 14.

- Hirst, D., Aanes, S., Storvik, G. and Tvete, I.F. 2004. Estimating catch at age from market sampling data using a Bayesian hierarchical model. *Journal of the Royal statistical society. Series C, applied statistics*, 53: 1-14.
- Hirst, D., Storvik, G., Aldrin, M., Aanes, S. and Huseby, R.B. 2005. Estimating catch-at-age by combining data from different sources. *Canadian Journal of Fisheries and Aquatic Sciences* 62:1377-1385.
- Hirst, D., Storvik, G., Rognebakke, H., Aldrin, M., Aanes, S., and Vølstad, J. H. 2012. A Bayesian modelling framework for the estimation of catch-at-age of commercially harvested fish species. *Can. J. Fish. Aquat. Sci.* 69: 2064–2076.
- Hislop, J. R. G., Gallego, A., Heath, M. R., Kennedy, F. M., Reeves, S. A., and Wright, P. J. 2001. A synthesis of the early life history of the anglerfish, *Lophius piscatorius* (Linnaeus, 1758) in northern British waters. *ICES Journal of Marine Science* 58:70–86.
- Hjermann, D. Ø., Bogstad, B., Eikeset, A. M., Ottersen, G., Gjøsæter, H., and Stenseth, N. C. 2007. Food web dynamics affect Northeast Arctic cod recruitment. *Proceedings of the Royal Society, Series B* 274:661-669.
- Hjermann, D. Ø., Bogstad, B., Dingsør, G. E., Gjøsæter, H., Ottersen, G., Eikeset, A. M., and Stenseth, N. C. 2010. Trophic interactions affecting a key ecosystem component: a multi-stage analysis of the recruitment of the Barents Sea capelin. *Canadian Journal of Fisheries and Aquatic Science* 67:1363-1375.
- Høie, H., Bernreuther, M., Ågotnes, P., Beußel, F., Koloskova, V., Mjanger, H., Schröder, D., Senneset, H. and Zuykova, N. 2009. Report of Northeast Arctic cod otolith exchange between Russia, Norway and Germany 2008. WD # 6 ICES Arctic Fisheries Working Group 2009, San Sebastian 21-27th April 2009.
- ICES 2001. Report of the Arctic Fisheries Working Group. Bergen, Norway, 24 April – 3 May 2001. ICES CM 2001/ACFM:19. 380 pp.
- ICES 2006a. ICES Workshop on Biological Reference Points for North East Arctic Haddock (WKHAD). Svanhovd, Norway, 6-10 March 2006. ICES C.M. 2006/ACFM:19, 102 pp.
- ICES 2006b. Report of the Arctic Fisheries Working Group, Copenhagen 19-28 April 2006. ICES C.M. 2006/ACFM:25, 594 pp.
- ICES 2007b. Report of the Arctic Fisheries Working Group, Vigo, Spain 18-27 April 2007. ICES C.M. 2007/ACFM:16, 651 pp.
- ICES 2008. Report of the Workshop on Methods to Evaluate and Estimate the Accuracy of Fisheries Data used for Assessment (WKACCU), 27–30 October 2008, Bergen, Norway. ICES CM 2008/ACOM:32. 41 pp.
- ICES 2009. Report of the Benchmark Workshop on Short-lived Species (WKSHORT). ICES C.M. 2009/ACOM: 34: 1-166.
- ICES 2009. Report of the Workshop on methods to evaluate and estimate the precision of fisheries data used for assessment (WKPRECISE), 8-11 September 2009, Copenhagen, Denmark. ICES CM 2009/ACOM:40. 43 pp.
- ICES 2009. Report of the workshop for the exploration of the dynamics of fish stocks in poor conditions (WKPOOR2). ICES CM, 2009/ACOM:49: 30pp.
- ICES 2010. Report of the Arctic Fisheries Working Group, Lisbon/Bergen, 22-28 April 2010. ICES C.M. 2010/ACOM:05, 664 pp.
- ICES 2010. Report of the Benchmark Workshop on Roundfish (WKROUND), 9-16 February 2010, Copenhagen, Denmark. ICES CM 2010/ACOM: 36. 183 pp.
- ICES 2010. Report of the workshop on implementing the ICES FMSY framework (WKFRAME). ICES CM, 2010/ACOM:54: 79pp.

- ICES 2011. Report of the Arctic Fisheries Working Group, Hamburg, Germany 28 April – 4 May 2011. ICES C.M. 2011/ACOM:05, 659 pp.
- ICES. 2011. Report of the Study Group on Recruitment Forecasting (SGRF), 17–20 October 2011, Copenhagen, Denmark. *In* ICES CM 2011/ACOM:31, 36 pp.
- ICES 2011. Report of the Workshop of Implementing the ICES Fmsy framework (WKFRAME2), 10-14 February 2011, ICES, Denmark. ICES C. M. 2011/ACOM:33, 110 pp.
- ICES 2011. Report of the Benchmark Workshop on Roundfish and Pelagic Stocks, Lisbon 24-31 January 2011. ICES C.M. 2011/ACOM:38, 418 pp.
- ICES. 2011. Report of the Workshop on Age Reading of Greenland Halibut (WKARGH), 14-17 February 2011, Vigo, Spain. ICES CM 2011/ACOM:41. 39 pp.
- ICES. 2012. ICES Implementation of Advice for Data-limited Stocks in 2012 in its 2012 Advice. ICES CM 2012/ACOM:68. 42 pp.
- ICES. 2012. Report of the Study Group on Recruitment Forecasting (SGRF), 15–19 October 2012, Barcelona, Spain. ICES CM 2012/ACOM:24. 36 pp.
- ICES 2012. Report of the benchmark workshop on redfish (WKRED). ICES CM, 2012/ACOM: 48: 289 pp.
- ICES. 2013. Report of the second Workshop on Practical Implementation of Statistical Sound Catch Sampling Programmes, 6 - 9 November 2012, ICES Copenhagen. ICES CM 2012 / ACOM:54 71 pp.
- ICES 2013. Report of the Arctic Fisheries Working Group, Copenhagen, 18-24 April 2013. ICES C.M. 2013/ACOM:05, 682 pp.
- ICES 2013. Report of the third Workshop on Practical Implementation of Statistical Sound Catch Sampling Programmes, 19-22 November 2013, ICES HQ, Copenhagen, Denmark. ICES CM2013/ACOM:54. 109 pp.
- ICES. 2013. Report of the Study Group on Recruitment Forecasting (SGRF), 18-22 November 2013, Lisbon. ICES CM 2013/ACOM:24. 29 pp.
- ICES 2014. Report of the Inter-Benchmark Protocol on Northeast Arctic Saithe in Subareas I and II (IBP NEA saithe), March/April 2014, by correspondence. ICES CM 2014/ACOM: 53, 94 pp.
- ICES 2014. Report of the Working Group on Harp and Hooded Seals Quebec City 17-21 November 2014. ICES C. M. 2014/ACOM:20, 62 pp.
- ICES. 2015. Report of the Benchmark Workshop on Arctic Stocks (WKARCT), 26-30 January 2015, ICES Headquarters, Denmark. ICES CM 2015\ACOM:31. 126 pp.
- ICES 2015. Report of the Arctic Fisheries Working Group, Hamburg, Germany, 23-29 April 2015. ICES C.M. 2015/ACOM:05, 590 pp.
- ICES 2015. Report of the Inter Benchmark Process on Greenland Halibut in ICES areas I and II (IBPHALI). By Correspondence, August 2015. ICES CM 2015/ACOM:54, 41 pp.
- ICES 2015. Report of the first Workshop on Management Plan Evaluation on Northeast Arctic cod and haddock and Barents Sea capelin, 24-26 November 2015, Murmansk, Russia. ICES CM 2015/ACOM:60, 27 pp.
- ICES 2016. Report of the second Workshop on Management Plan Evaluation on Northeast Arctic cod and haddock and Barents Sea capelin, 25-28 January 2016, Kirkenes, Norway. ICES CM 2016/ACOM:47, 76 pp.
- ICES 2016. The Third Report of the Working Group on Integrated Assessments of the Barents Sea (WGIBAR). Murmansk, Russia, 22-25 February 2016. ICES CM 2016/SSGIEA:04, 126 pp.
- ICES 2016. Report of the Arctic Fisheries Working Group, ICES HQ, Copenhagen, Denmark. 19-25 April 2016. ICES CM 2016/ACOM:06. 621 pp.

- ICES 2016. Final Report of the Working Group on International Deep Pelagic Ecosystem Surveys (WGIDEEPS). ICES CM, ICES CM 2016/SSGIEOM:02: 21pp.
- ICES 2017. Report of Inter-benchmark protocol on Northeast Arctic cod (IBP ARCTIC COD 2017), Copenhagen, 3-6 April 2017. ICES CM 2017/ACOM:29.
- ICES 2017. Report of the Working Group on the Integrated Assessments of the Barents Sea. WGIBAR 2017 Report, 16-18 March 2017. Murmansk, Russia. ICES CM 2017/SSGIEA:04. 186 pp.
- Jakobsen, T., Korsbrekke, K., Mehl, S., and Nakken, O. 1997. Norwegian combined acoustic and bottom trawl surveys for demersal fish in the Barents Sea during winter. ICES CM 1997/Y:17.
- Jørgensen C., Enberg K., Dunlop E.S., Arlinghaus R., Boukal D.S., Brander K., Ernande B., Gårdmark A., Johnston F., Matsumura S., Pardoe H., Raab K., Silva A., Vainikka A., Dieckmann U., Heino M., Rijnsdorp A.D. 2008. The role of fisheries-induced evolution – response. *Science*. 320: 48-50.
- Kennedy, J., Hedeholm, R.B., Gundersen, A.C. and Boje, J., 2014. Estimates of reproductive potential of Greenland halibut (*Reinhardtius hippoglossoides*) in East Greenland based on an update of maturity status. *Fisheries Research*, 154: 73-81.
- Kennedy, J., Gundersen, A.C., Høines, Å.S. and Kjesbu, O.S., 2011. Greenland halibut (*Reinhardtius hippoglossoides*) spawn annually but successive cohorts of oocytes develop over 2 years, complicating correct assessment of maturity. *Canadian Journal of Fisheries and Aquatic Sciences*, 68(2): 201-209.
- Korsbrekke, K. 1997. Norwegian acoustic survey of Northeast Arctic cod on the spawning grounds off Lofoten. ICES C.M 1997/Y:18.
- Kovalev, Yu.A., and Yaragina N.A. 2009. The effects of population density on the rate of growth, maturation, and productivity of the stock of the Northeast Arctic cod. *Journal of Ichthyology* 49, № 1: 56-65.
- Kovalev, Y., Prozorkevich, D., and Chetyrkin, A. 2017. Estimation of Ecosystem survey 2016 index in situation of not full area coverage. Working Document No. 12 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Kuparinen A., Stenseth N. C., Hutchings J. A. 2014. Fundamental population-productivity relationships can be modified through density-dependent feedbacks of life-history evolution. *Evol Appl* 7(10):1218-25.
- Mehl, S., Aglen, A., Alexandrov, D.I., Bogstad, B., Dingsør, G.E., Gjørseter, H., Johannesen, E., Korsbrekke, K., Murashko, P.A., Prozorkevich, D.V., Smirnov, O., Staby, A., and Wenneck, T. de Lange, 2013. Fish investigations in the Barents Sea winter 2007-2012. IMR-Pinro Joint Report Series 1-2013, 97 pp.
- Mehl, S., Aglen, A., Bogstad, B., Dingsør, G.E., Gjørseter, H., Godiksen, J., Johannesen, E., Korsbrekke, K., Staby, A., Wenneck, T. de Lange, Wienerroither, R., Murashko, P. A., and Russkikh, A. 2014. Fish investigations in the Barents Sea winter 2013-2014. IMR-PINRO Joint Report Series 2-2014, 73 pp.
- Mehl, S. Aglen, A., Amelkin, A., Dingsør, G.E., Gjørseter, H., Godiksen, Staby, A., Wenneck, T. de Lange, and Wienerroither, R. 2015. Fish investigations in the Barents Sea, winter 2015. IMR-PINRO report series 2-2015. 61 pp.
- Mehl, S., Aglen, A., Berg, E., Dingsør, G. and Korsbrekke, K. 2014. Akustisk mengdemåling av sei, kysttorsk og hyse, Finnmark – Møre, hausten 2014. [Acoustic abundance of saithe, coastal cod and haddock Finnmark – Møre Autumn 2014]. In *Norwegian, legends in English*. Toktrapport/Havforskningsinstituttet/ISSN 1503-6294/Nr. 1 – 2014 (38pp).
- Mehl, S., Aglen, A., Berg, E., Dingsør, G. and Korsbrekke, K. 2015. Akustisk mengdemåling av sei, kyst-torsk og hyse Finnmark – Møre hausten 2015. Acoustic abundance of saithe, coastal cod and haddock Finnmark – Møre Autumn 2015. In *Norwegian, legends in English*. Toktrapport/Havforskningsinstituttet/ISSN 1503-6294, Nr. 4 – 2015. 38pp.

- Mehl, S, Aglen, A., Berg, E. Dingsør, G. and Korsbrekke, K. 2016. Akustisk mengdemåling av sei, kyst-torsk og hyse Finnmark – Møre hausten 2016. Acoustic abundance of saithe, coastal cod and haddock Finnmark – Møre Autumn 2016. In *Norwegian, legends in English*. Toktrapport/Havforskningsinstituttet/ISSN 1503-6294, Nr. 15 – 2016. 38pp.
- Mehl, S., Aglen, A., Bogstad, B., Staby, A., de Lange Wenneck, T. Wienerroither, R., and Russkikh, A.A. 2017. Fish investigations in the Barents Sea winter 2017. Working Document No. 3 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Mehl, S., Aglen, A. and Johnsen, E. 2017. Re-estimation of swept area indices with CVs for main demersal fish species in the Barents Sea winter survey 1994 – 2016 applying the Sea2Data StoX software 2017. Fisker og Havet No. 10, 2016. Institute of Marine Research, Bergen, Norway. 43 pp.
- Mehl, S., and Yaragina, N. A. 1992. Methods and results in the joint PINRO-IMR stomach sampling program. In: Bogstad, B. and Tjelmeland, S. (eds.), *Interrelations between fish populations in the Barents Sea*. Proceedings of the fifth PINRO-IMR Symposium. Murmansk, 12–16 August 1991. Institute of Marine Research, Bergen, Norway, 5–15.
- Mortensen, E. 2007. Er det variasjon i diett og lengde ved alder hos torsk (*Gadus morhua* L.) nord for 64°N? [in Norwegian]. Master Thesis, University of Tromsø, June 2007.
- Nedreaas, K. 2017. Conversion factors for products of cod (*Gadus morhua*) north of 62°N in the winter season 2015 – inaccurate current practice. Working Document No. 15 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Nedreaas, K. 2017. CPUE data from Norwegian trawl fleet. Working Document No. 17 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Nedreaas K. and Smirnov O, 2003. Stock characteristics, fisheries and management of Greenland halibut (*Reinhardtius hippoglossoides* Walbaum) in the northeast Arctic. Proceedings of the 10th Norwegian-Russian Symposium Bergen, Norway 27-29 August 2003.
- Nielsen, A., Berg, C.W., 2014. Estimation of time-varying selectivity in stock assessments using state-space models. Fish. Res. 158:96-101.
- Nilssen, K.T., Pedersen, O-P., Folkow, L. and Haug, T. 2000. Food consumption estimates of Barents Sea harp seals. NAMMCO Scientific Publications 2: 9-27.
- Núñez, L.A., Hallfredsson, E.H. and Falk-Petersen, I.-B., 2015. Different maturity scales affect estimations of fecundity, TEP and spawning stock size of Greenland halibut, *Reinhardtius hippoglossoides* (Walbaum, 1792). Marine Biology Research: 1-10.
- Ofstad, L. H. 2013. Anglerfish *Lophius piscatorius* L. in Faroese waters. Life history, ecological importance and stock status. Dr. scient thesis, University of Tromsø. February 2013. 81 pp.
- O'Sullivan M., Wright P. J., Verspoor E., Knox D., Piernney S. 2006. Absence of spatial and temporal genetic differentiation at microsatellite loci in north east Atlantic anglerfish (*Lophius piscatorius*). Journal of Fish Biology 2006; 69:261.
- Pedersen, T., Nilsen, M., Berg, E., and Reigstad M. 2007. Trophic model of a lightly exploited cod-dominated ecosystem. In; Nilsen, M: "Trophic interactions and the importance of macrobenthic invertebrate production in two Arctic fjord systems". A dissertation for PhD, University of Tromsø, Autumn 2007
- Pedersen, T. and Pope, J.G. 2003a. Sampling and a mortality model of a Norwegian cod (*Gadus morhua* L.) fjord population. Fish. Res. 63, 1-20.
- Pedersen, T., and Pope, J. 2003b. How may feeding data be integrated into a model for a Norwegian fjord population of cod (*Gadus morhua* L.)? Scientia Marina, 67(Suppl. 1): 155-169.
- Planque, B. 2015. *S. mentella* assessment - handling the +group.: WD03 - ICES AFWG2015. 8 pp.
- Planque, B. 2016. Possible use of the Pelagic and slope surveys in the analytical assessment of *Sebastes mentella* in ICES areas 1 and 2.: WD05 - ICES AFWG2016. 6 pp.

- Ponomarenko, I.Ya. and N.A.Yaragina. 1990. Long-term dynamics of the Barents Sea cod feeding on capelin, euphausiids, shrimp and the annual consumption of these objects. Feeding resources and interrelations of fishes in the North Atlantic: Selected papers of PINRO. Murmansk. 1990. p.109-130 (in Russian).
- Ponomarenko, I.Ya. 1973. The influence of feeding and temperature conditions on survival of the Barents Sea "bottom" juvenile cod. Voprosy okeanografii severnogo promyslovogo basseina: Selected papers of PINRO. Murmansk, 1973. Vyp.34. p.210-222 (in Russian)
- Ponomarenko, I.Ya. 1984. Survival of "bottom juvenile" cod in the Barents Sea and determining factors. Cod reproduction and recruitment: Proceedings of the first Soviet-Norwegian symposium/VNIRO. – M., 1984. – p.301-315 (in Russian).
- Skjœraasen, J. E., Kennedy, J., Thorsen, A., Fonn, M., Strand, B. N., Mayer, I., and Kjesbu, O. S. 2009. Mechanisms regulating oocyte recruitment and skipped spawning in Northeast Arctic cod (*Gadus morhua*). Canadian Journal of Fisheries and Aquatic Sciences, 66: 1582–1596.
- Solmundsson, J, Jonsson, E and Björnsson, H. 2007. Recent changes in the distribution and abundance of monkfish (*Lophius piscatorius*) in Icelandic waters. ICES CM 2007/K:02. 16pp.
- Staalesen, B.I. 1995. Breiflabb (*Lophius piscatorius* L.) langs norskekysten. Cand.scient thesis, University of Bergen. 88 pp. (In Norwegian, summary in English)
- Stiansen et al. 2005. IMR status report on the Barents Sea ecosystem, 2004-2005. WD1, AFWG 2005.
- Subbey, S., JE. Stiansen, B. Bogstad, T. Bulgakova and O. Titov, 2008. Evaluating Recruitment Models for (Age 3) NEA Cod. Working document #27. Report of the Arctic Fisheries Working Group (AFWG). 21-29 April 2008, ICES Headquarters, Copenhagen. ICES CM 2008\ACOM:01.
- Svendsen, E., Skogen, M., Budgell, P., Huse, G., Ådlandsvik, B., Vikebø, F., Stiansen, J.E., Asplin, L., and Sundby, S. 2007. An ecosystem modelling approach to predicting cod recruitment. Deep-Sea Research Part II, 54:2810-2821.
- Thangstad, T., Bjelland, O., Nedreaas, KH, Jónsson, E., Laurenson, CH and Ofstad, LH 2006. Anglerfish (*Lophius* spp.) in Nordic waters. TemaNord 2006:570. © Nordic Council of Ministers, Copenhagen 2006. ISBN 92-893-1416-8. 162 pp.
- Titov, O., Pedchenko, A. and Karsakov, A., 2005. 'Assessment of Northeast Arctic cod and capelin recruitment from data on ecological situation in the Barents Sea in 2004-2005'. Working document #16 in: Report of the Arctic Fisheries Working Group', Murmansk, Russia, April 19-28, 2005. ICES C.M. 2005/ACFM:20, 564 pp.
- Titov O.V. 2010. Assessment of population recruitment abundance of Northeast Arctic cod considering the environment data. WD 22, AFWG 2010.
- Titov, O. 2011. Assessment of population recruitment abundance of northeast Arctic cod considering the environment data. ICES AFWG 2011/WD:23.
- Tjelmeland, S. 2005. Evaluation of long-term optimal exploitation of cod and capelin in the Barents Sea using the Bifrost model. Pp. 112-129 in: Shibanov, V. (ed.). "Ecosystem Dynamics and Optimal Long-term Harvest in Barents Sea Fisheries". Proceedings of the 11th Russian-Norwegian Symposium, Murmansk, Russia, 15-17 August 2005. IMR/PINRO report series 2/2005, 331 pp.
- Tjelmeland, S. and Lindstrøm, U. 2005. An ecosystem element added to the assessment of Norwegian spring spawning herring: implementing predation by minke whales. ICES Journal of Marine Science 62(2):285-294.
- Vasilyev D. 2005 Key aspects of robust fish stock assessment. M: VNIRO Publishing, 2005. 105 p.

- Vasilyev D. 2006. Change in catchability caused by year class peculiarities: how stock assessment based on separable cohort models is able to take it into account? (Some illustrations for triple-separable case of the ISVPA model - TISVPA). ICES CM 2006/O:18. 35 pp
- Westgaard, J.-I., Saha, A., Kent, M.P., Hansen, H.H., Knutsen, H., Hauser, L., Cadrin, S.X., Albert, O.T. and Johansen, T., 2016. Genetic population structure in Greenland halibut (*Reinhardtius hippoglossoides*) and its relevance to fishery management. Canadian Journal of Fisheries and Aquatic Sciences.
- Yaragina, N. A. 2010. Biological parameters of immature, ripening and non-reproductive mature Northeast Arctic cod in 1984-2006. ICES Journal of Marine Science, 67: 2033-2041.
- Yaragina, N.A. Nedreaas, K.H., Koloskova, V., Mjanger, H., Senneset, H., Zuykova, N. & Ågotnes, P. 2009b. Fifteen years of annual Norwegian-Russian cod comparative age readings. Marine Biology Research 5(1): 54-65.
- Yaragina, N. A., Kovalev, Yu. A., and Chetyrkin, A. 2015. Hindcasting cod cannibalism back to 1947. Working document 7. ICES Benchmark Workshop on Arctic Stocks (WKARCT), ICES CM 2015\ACOM:31.
- Yaragina, N.A. and Bogstad, B. 2017. Historic difference in stock weight and maturity at age in Northeast Arctic cod. Working Document No. 10 to the Arctic Fisheries Working Group, Copenhagen, 18-25 April 2017.
- Zuykova, N.V., Koloskova, V.P., Mjanger, H., Nedreaas, K.H., Senneset, H., Yaragina, N.A., Ågotnes, P. and Aanes, S. 2009. Age determination of Northeast Arctic cod otoliths through 50 years of history. Marine Biology Research 5(1): 66-74.
- Astthorsson, O. S., Valdimarsson H., Gudmundsdottir, A., Óskarsson, G. J. 2012. Climate-related variations in the occurrence and distribution of mackerel (*Scomber scombrus*) in Icelandic waters. ICES Journal of Marine Science. 69: 1289–1297.
- Debes, H., Homrum, E., Jacobsen, J. A., Hátún, H., and Danielsen, J. 2012. The feeding ecology of pelagic fish in the southwestern Norwegian Sea – Inter species food competition between herring (*Clupea harengus*) and mackerel (*Scomber scombrus*). ICES CM 2012/M:07. 19 pp.
- Guðmundsdóttir, Á., G.J. Óskarsson, and S. Sveinbjörnsson 2007. Estimating year-class strength of Icelandic summer-spawning herring on the basis of two survey methods. ICES Journal of Marine Science, 64: 1182–1190.
- ICES 2011a. Report of the Benchmark Workshop on Roundfish and Pelagic Stocks (WKBENCH 2011), 24–31 January 2011, Lisbon, Portugal. ICES CM 2011/ACOM:38. 418 pp.
- ICES 2011b. Report of the North Western Working Group (NWWG), 26 April - 3 May 2011, ICES Headquarters, Copenhagen. ICES CM 2011/ACOM:7. 975 pp
- ICES. 2014. Report of the North Western Working Group (NWWG), 24 April-1 May 2014, ICES HQ, Copenhagen, Denmark. ICES CM 2014/ACOM:07. 902 pp.
- ICES. 2016. Report of the North-Western Working Group (NWWG), 27 April–4 May, 2016, ICES Headquarters, Copenhagen. ICES CM 2016/ACOM:08.
- ICES. 2017a. Icelandic Waters ecoregion – Ecosystem overview. http://ices.dk/sites/pub/Publication%20Reports/Advice/2017/2017/Ecosystem_overview-Icelandic_Waters_ecoregion.pdf
- ICES. 2017b. Workshop on MSEs for Icelandic herring, ling and tusk (WKICEMSE), 21–25 April, 2017, ICES Headquarters, Copenhagen. ICES CM 2017/ACOM:45.
- Jones, S.R.M. and Dawe, S.C., 2002. *Ichthyophonus hoferi* Plehn & Mulsow in British Columbia stocks of Pacific herring, *Clupea pallasii* Valenciennes, and its infectivity to chinook salmon, *Oncorhynchus tshawytscha* (Walbaum). Journal of Fish Diseases 25, 415-421.
- Langøy, H., Nøttestad, L., Skaret, G., Broms, C. and Fernö, A. 2012. Overlap in distribution and diets of Atlantic mackerel (*Scomber scombrus*), Norwegian spring-spawning herring (*Clupea*

- harengus*) and blue whiting (*Micromesistius poutassou*) in the Norwegian Sea during late summer. Marine biology research, 8: 442–460.
- Nøttestad, L., Utne, K.R., Guðmundur J. Óskarsson, Sigurður Þ. Jónsson, Jacobsen, J.A., Tangen, Ø., Anthonypillai, V., Aanes, S., Vølstad, J.H., Bernasconi, M., Debes, H., Smith, L., Sveinn Sveinbjörnsson, Holst, J.C., Jansen, T. og Slotte, A. 2016. Quantifying changes in abundance, biomass and spatial distribution of Northeast Atlantic mackerel (*Scomber scombrus*) in the Nordic seas from 2007 to 2014. ICES Journal of Marine Science, 73: 359-373.
- Óskarsson, G.J. 2008. Variation in body condition, fat content and growth rate of Icelandic summer-spawning herring (*Clupea harengus* L.). Journal of Fish Biology 72: 2655–2676.
- Óskarsson, G.J. 2017. Results of acoustic measurements of Icelandic summer-spawning herring in the winter 2016/2017. ICES North Western Working Group, 27 April - 4 May 2017, Working Document No. 11. 65 pp.
- Óskarsson, G.J. and J. Pálsson 2013. Development and nature of massive and long-lasting *Ichthyophonus hoferi* outbreak in Icelandic summer-spawning herring. ICES North Western Working Group, 26 April - 3 May 2013, Working Document No. 2. 17 pp.
- Óskarsson, G.J. and J. Pálsson 2015. Estimation on number-at-age of the catch of Icelandic summer-spawning herring in 2014/2015 fishing season and the development of *Ichthyophonus hoferi* infection in the stock. ICES North Western Working Group, 28 April - 5 May 2015, Working Document No. 2. 15 pp.
- Óskarsson, G.J. and C.T. Taggart 2010. Variation in reproductive potential and influence on Icelandic herring recruitment. Fisheries Oceanography. 19: 412–426.
- Óskarsson, G.J., J. Pálsson, and Á. Guðmundsdóttir 2009. Estimation of infection by *Ichthyophonus hoferi* in the Icelandic summer-spawning herring during the winter 2008/09. ICES North Western Working Group, 29 April - 5 May 2009, Working Document 1. 10 p.
- Óskarsson, G.J., P. Reynisson, and Á. Guðmundsdóttir 2010. Comparison of acoustic measurements of Icelandic summer-spawning herring the winter 2009/10 and selection of measurement for stock assessment. Marine Research Institute, Reykjavik, Iceland. An Internal Report. 14 p.
- Óskarsson, G.J., Sigurðsson, Þ., Ólafsdóttir, S.R. and Valdimarsson, H. 2013. Two incidents of mass mortalities of Icelandic summer-spawning herring in Kolgrafafjörður in the winter 2012/2013. ICES North Western Working Group, 26 April - 3 May 2013, Working Document No. 1. 11 pp.
- Óskarsson, G.J., A. Gudmundsdottir, S. Sveinbjörnsson & Þ. Sigurðsson 2016. Feeding ecology of mackerel and dietary overlap with herring in Icelandic waters. Marine Biology Research, 12: 16-29.
- Óskarsson, G.J. and J. Pálsson 2017. Estimation on number-at-age of the catch of Icelandic summer-spawning herring in 2016/2017 fishing season and the development of *Ichthyophonus hoferi* infection in the stock. ICES North Western Working Group, 27 April - 4 May 2017, Working Document No. 10. 15 pp.
- Óskarsson, G.J., Pálsson, J., and Gudmundsdottir, A. 2017. Development, nature and impacts of widespread and long-lasting *Ichthyophonus* sp. outbreak in Icelandic summer-spawning herring. Manuscript submitted to MEPS, April 2017.
- Skagen, D. 2012. HCS program for simulating harvest control rules. Program description and instructions for users. Version HCS12_2. Available from the author.