Published 30 June 2017 DOI: 10.17895/ices.pub.3233

Sole (Solea solea) in Division 7.e (western English Channel)

ICES stock advice

ICES advises that when the MSY approach is applied, catches in 2018 should be no more than 1239 tonnes.

Stock development over time

Fishing mortality (F) has been below F_{MSY} since 2009. Spawning-stock biomass (SSB) has been above MSY B_{trigger} since 1999. Recruitment (R) has been variable without an overall trend.




Figure 1 Sole in Division 7.e. Summary of the stock assessment. ICES estimated catches, recruitment, fishing mortality, and spawning-stock biomass from the summary stock assessment. Assumed recruitment values are not shaded. Discard estimates are only available from 2012 onwards.

Stock and exploitation status

Table 1 Sole in Division 7.e. State of the stock and fishery relative to reference points.

| | | | Fishir | ng press | sure | Stock size | | | | |
|------------------------------|---------------------------------------|------|--------|----------|--------------------------|------------------------------------|------|------|---|----------------------------|
| | | 2014 | 2015 | | 2016 | | 2015 | 2016 | | 2017 |
| Maximum Sustainable Yield | F _{MSY} | • | • | 0 | Below | MSY B _{Trigger} | • | • | 0 | Above trigger |
| Precautionary Approach | F _{pa} , F _{lim} | • | • | 0 | Harvested sustainably | B _{pa} , B _{lim} | • | • | 0 | Full reproductive capacity |
| Management plan | F _{MGT} | _ | _ | _ | Not applicable | B _{MGT} | _ | - | – | Not applicable |

ICES Advice 2017

Catch options

Table 2Sole in Division 7.e. The basis for the catch options.

| | | · | |
|-----------------------|-----------------|--------------|---|
| Variable | Value | Source | Notes |
| F ages 3–9 (2017) | 0.21 | ICES (2017a) | F_{sq} = $F_{Average}$ (2014–2016) rescaled to F_{2016} |
| SSB (2018) | 4 354 tonnes | ICES (2017a) | Fishing at F _{sq} |
| Rage2 (2017, 2018) | 3 890 thousands | ICES (2017a) | GM (1969–2016) |
| Total catch (2017) | 959 tonnes | ICES (2017a) | Wanted catches adjusted for unwanted catches |
| Wanted catch (2017) | 931 tonnes | ICES (2017a) | Fishing at F _{sq} |
| Unwanted catch (2017) | 28 tonnes | ICES (2017a) | Average ratio (2014–2016) (2.9%) |

Table 3 Sole in Division 7.e. Annual catch options. All weights are in tonnes.

| Basis | Total catch^ (2018) | Wanted catch* (2018) | Unwanted catch* (2018) | F _{wanted} (2018) | SSB (2019) | % SSB change ** | % TAC change *** |
|---|---------------------------|----------------------|------------------------------|----------------------------|---------------|-----------------------|------------------|
| ICES advice basis | | | | | | | |
| MSY approach: F _{MSY} | 1239 | 1202 | 36 | 0.29 | 4079 | -6.3 | 5.2 |
| Other options | | | | | | | |
| F = 0 | 0 | 0 | 0 | 0 | 5244 | 20 | -100 |
| F _{pa} | 1349 | 1309 | 40 | 0.32 | 3977 | -8.7 | 15 |
| F _{lim} | 1760 | 1708 | 52 | 0.44 | 3594 | -17 | 49 |
| SSB (2019) = B _{lim} | 3501 | 3399 | 103 | 1.17 | 2000 | -54 | 197 |
| SSB (2019) = B _{pa} = MSY B _{trigger} | 2511 | 2437 | 74 | 0.70 | 2900 | -33 | 113 |
| F = F ₂₀₁₇ | 949 | 922 | 28 | 0.21 | 4350 | -0.083 | -19 |
| Management plan: F = 0.27 with 15% | | | | | | | |
| TAC constraint | 1164 | 1130 | 34 | 0.27 | 4150 | -4.7 | -1.19 |

^{* &}quot;Wanted" and "unwanted" catch are used to describe fish that would be landed and discarded in the absence of the EU landing obligation, based on discard rate estimates for 2014-2016.

Basis of the advice

Table 4Sole in Division 7.e. The basis of the advice.

| Advice basis | MSY approach |
|-----------------|--|
| | A management plan has been agreed by the EU in 2007 (EC, 2007). In its current phase, it aims at |
| Management plan | keeping F at the target value of 0.27 with a 15% TAC constraint. This plan has not been evaluated by |
| | ICES. |

^{**} SSB 2019 relative to SSB 2018.

^{***} Total catch in 2018 relative to TAC in 2017 (1178t).

[^] Total catch derived from the wanted catch and the unwanted catches ratio.

Quality of the assessment

Reliable discard data is available since 2012 and indicates that discards for this stock are negligible. The average discard rate for 2014–2016 is 2.9%.




Figure 2 Sole in Division 7.e. Historical assessment results (final-year recruitment estimates included). The recruitment age in the assessment has changed from one to two, following the inter-benchmark in 2015 (ICES, 2015).

Issues relevant for the advice

The advice takes account of the available discard estimates to give catch advice for the stock. The EU landing obligation applied to some vessels catching sole in 2016 for the first time (EU, 2015) and has been refined for 2017 and 2018 (EU, 2016).

Reference points

Table 5Sole in Division 7.e. Reference points, values, and their technical basis.

| Framework | Reference point | Value | Technical basis | Source |
|---------------|--------------------------|--------------|---|--------------|
| MSY approach | MSY B _{trigger} | 2900 tonnes | The 5^{th} percentile of the distribution of SSB when fishing at F_{MSY} (0.29) | ICES (2016a) |
| | F _{MSY} | 0.29 | Median point estimate of EqSim simulations. | ICES (2016a) |
| | B _{lim} | 2 000 tonnes | B _{pa} /1.4 | ICES (2016a) |
| Precautionary | B _{pa} | 2 900 tonnes | Rounded B _{loss} (1999 year class). Lowest SSB with high recruitment. | ICES (2016a) |
| approach | F _{lim} | 0.44 | Segmented regression of stock-recruitment with B _{lim} as the breakpoint | ICES (2016a) |
| | F _{pa} | 0.32 | $F_{lim} \times exp(-1.645 \times \sigma); \sigma = 0.2.$ | ICES (2016a) |
| Management | SSB _{MGT} | Not defined | | |
| plan | F _{MGT} | 0.27 | | EC (2007) |

Basis of the assessment

Table 6Sole in Division 7.e. Basis of assessment and advice.

| ICES stock data | 1 (ICES 2016h) | | | | | |
|----------------------|--|--|--|--|--|--|
| category | 1 (<u>ICES, 2016b</u>) | | | | | |
| Accoccment tune | Age-based analytical assessment (XSA) that uses landings in the model, and discards are then included to | | | | | |
| Assessment type | calculate a catch forecast (ICES, 2017). | | | | | |
| | Commercial catch-at-age data; two survey indices (UK-FSP and Q1SWBeam) and two commercial tuning | | | | | |
| Input data | fleets (UK-CBT-late and UK-COT); natural mortality is assumed constant over ages and years at 0.1; fixed | | | | | |
| | maturity ogive from divisions 7.f and 7.g. | | | | | |
| Discards and bycatch | Not included in the assessment, but used to provide catch advice. | | | | | |
| Indicators | None | | | | | |
| Other information | Last inter-benchmark in 2015 (IBPWCFlat2; ICES, 2015) | | | | | |
| Working group | Working Group for the Celtic Seas Ecoregion (<u>WGCSE</u>) | | | | | |

Information from stakeholders

There is no additional available information for this stock.

History of the advice, catch, and management

 Table 7
 Sole in Division 7.e. ICES advice and official landings. All weights are in tonnes.

| Table 7 | Sole in Division 7.e. | ICES advice a | ina otticiai ianaing | gs. All weights are | e in tonnes. | | |
|---------|-------------------------------------|----------------------------|---------------------------------------|---------------------|----------------------|---------------|---------------|
| Year | ICES advice | Predicted catches corresp. | Predicted landings corresp. to advice | Agreed TAC | Official landings | ICES landings | ICES discards |
| 1987 | No increase in F | | 1150 | 1150 | 1110 | 1280 | |
| 1988 | No decrease in SSB; TAC | | 1300 | 1300 | 950 | 1444 | |
| 1989 | No decrease in SSB; TAC | | 1000 | 1000 | 800 | 1390 | |
| 1990 | SSB = 3000 t; TAC | | 900 | 900 | 750 | 1315 | |
| 1991 | TAC | | 540 | 800 | 840 | 852 | |
| 1992 | 70% of F1990 | | 770 | 800 | 770 | 895 | |
| 1993 | 35% reduction in F | | 700 | 900 | 790 | 904 | |
| 1994 | No increase in F | | 1000 | 1000 | 840 | 800 | |
| 1995 | No increase in F | | 860 | 950 | 880 | 856 | |
| 1996 | F1996 < F1994 | | 680 | 700 | 740 | 833 | |
| 1997 | No increase in F | | 690 | 750 | 860 | 949 | |
| 1998 | No increase in F | | 670 | 670 | 770 | 880 | |
| 1999 | Reduce F below F _{pa} | | 670 | 700 | 660 | 957 | |
| 2000 | Reduce F below F _{pa} | | < 640 | 660 | 660 | 914 | |
| 2001 | Reduce F below F _{pa} | | < 580 | 600 | 650 | 1069 | |
| 2002 | Reduce F below F _{pa} | | < 450 | 525 | 540 | 1106 | |
| 2003 | Rebuilding plan or F = 0 | | - | 394 | 620 | 1078 | |
| 2004 | F = 0 or recovery plan 1 | | 0 | 300 | 490 | 1075 | |
| 2005 | 80% reduction in F or recovery plan | | < 230 | 865 | 960 | 1039 | |
| 2006 | 80% reduction in F or recovery plan | | < 240 | 940 | 970 | 1022 | |
| 2007 | 68% reduction in F or recovery plan | | < 350 | 900 | 820 | 1015 | |
| 2008 | 75% reduction in F | | < 260 | 765 | 670 | 908 | |
| 2009 | 70% reduction in F | | < 320 | 650 | 640 | 701 | |
| 2010 | Reduce fishing effort and catches | | - | 618 | 760 | 698 | |
| 2011 | MSY framework | | < 660 | 710 | 750 | 801 | |
| 2012 | MSY framework | | < 740 | 777 | 870 | 872 | 2 |
| 2013 | MSY framework | | < 960 | 894 | 889 | 883 | 1 |
| 2014 | MSY approach | | < 832 | 832 | 885 | 885 | 10 |
| 2015 | MSY approach | | < 851 | 851 | 774 | 774 | 54 |
| 2016 | MSY approach | | ≤ 1226 | 979 | 914 | 913 | 10 |
| 2017 | MSY approach | ≤ 1198 | | 1178 | | | |
| 2018 | MSY approach | ≤ 1239 | | | | | |

History of the catch and landings

 Table 8
 Sole in Division 7.e. Catch distribution by fleet in 2016 as estimated by ICES.

| Catch (2016) | | Lar | ndings | | Discards | | | |
|-----------------|---------------|-------------|--------|-------------|------------|-------------|----------|-------------|
| | Beam trawl | Otter trawl | | Other gears | Beam trawl | Otter trawl | Gillnets | Other gears |
| 924 tonnes | 63% | 24% | 7.8% | 4.4% | 37% | 62% | 0.82% | 0% |
| | | 913 | tonnes | | 10 tonnes | | | |

 Table 9
 Sole in Division 7.e. History of commercial catch and landings presented. All weights are in tonnes.

| | | | Lai | | Discards | | | |
|-------|---------|--------|-------------|---------|---------------------------|-------|----------------------|------------------|
| Year | Belgium | France | Netherlands | Ireland | UK and Channel Islands | Total | Unallocated landings | ICES estimate |
| 1974 | | 323 | | | | 427 | 104 | |
| 1975 | 3 | 271 | | | 217 | 491 | | - |
| 1976 | 4 | 352 | | | 260 | 616 | | - |
| 1977 | 3 | 331 | | | 272 | 606 | | - |
| 1978 | 4 | 384 | | | 453 | 861 | 20 | - |
| 1979 | 1 | 515 | | | 665 | 1181 | | |
| 1980 | 45 | 447 | | 13 | 764 | 1269 | | - |
| 1981 | 16 | 415 | 1 | | 788 | 1215 | -5 | - |
| 1982 | 98 | 321 | | | 1028 | 1446 | -1 | |
| 1983 | 47 | 405 | 3 | | 1043 | 1498 | | |
| 1984 | 48 | 421 | | | 901 | 1370 | | - |
| 1985 | 58 | 130 | | | 911 | 1409 | 310 | |
| 1986 | 62 | 467 | | | 840 | 1419 | 50 | |
| 1987 | 48 | 432 | | | 632 | 1280 | 168 | |
| 1988 | 67 | 98 | | | 784 | 1444 | 495 | - |
| 1989 | 69 | 112 | 6 | | 613 | 1390 | 590 | |
| 1990 | 41 | 81 | | | 636 | 1315 | 556 | - |
| 1991 | 35 | 325 | | | 477 | 852 | 15 | - |
| 1992 | 41 | 267 | | | 468 | 895 | 119 | - |
| 1993 | 59 | 236 | | | 498 | 904 | 111 | - |
| 1994 | 33 | 257 | | | 546 | 800 | -38 | |
| 1995 | 21 | 294 | | | 565 | 856 | -24 | |
| 1996 | 8 | 297 | | | 428 | 833 | 91 | |
| 1997 | 13 | 348 | | 1 | 496 | 949 | 91 | |
| 1998 | 40 | 343 | | | 389 | 880 | 108 | |
| 1999 | 13 | | | | 396 | 957 | 548 | |
| 2000 | 4 | 241 | | | 413 | 914 | 256 | |
| 2001 | 19 | 224 | | | 407 | 1069 | 419 | |
| 2002 | 33 | 198 | | | 309 | 1106 | 566 | |
| 2003 | 1 | 363 | | 1 | 255 | 1078 | 458 | |
| 2004 | 7 | 302 | | | 185 | 1075 | 581 | |
| 2005 | 26 | 406 | | | 527 | 1039 | 80 | |
| 2006 | 32 | 357 | | | 576 | 1022 | 56 | |
| 2007 | 34 | 384 | | 2 | 531 | 1015 | 64 | |
| 2008 | 28 | 312 | | 0 | 472 | 908 | 96 | |
| 2009 | 17 | 386 | | | 381 | 701 | -83 | |
| 2010 | 17 | 375 | | | 368 | 698 | -62 | |
| 2011 | 22 | 401 | | | 428 | 801 | -50 | |
| 2012 | 39 | 325 | | 0 | 506 | 872 | 2 | 2 |
| 2013 | 30 | 319 | | | 540 | 883 | -6 | 1 |
| 2014 | 25 | 351 | | | 509 | 884 | -1 | 10 |
| 2015* | 42 | 243 | | 0 | 490 | 774 | -1 | 54 |
| 2016* | 46 | 245 | | | 623 | 913 | -1 | 10 |

^{*}Preliminary

Summary of the assessment

 Table 10
 Sole in Division 7.e. Assessment summary. Weights are in tonnes, numbers in thousands.

| Table 10 | Sole in Division 7.e. Assessme | nit summary, weight | s are in torines, numbe | 15 III tilousalius. | |
|----------|--------------------------------|---------------------|-------------------------|---------------------|-------------------|
| Year | Recruitment | Stock size | Landings | Discards | Fishing mortality |
| | (age 2) | SSB | | | (ages 3-9) |
| 1969 | 1874 | 2437 | 353 | | 0.134 |
| 1970 | 1343 | 2652 | 391 | | 0.146 |
| 1971 | 3826 | 2390 | 432 | | 0.181 |
| 1972 | 2568 | 2395 | 437 | | 0.138 |
| 1973 | 2264 | 2778 | 459 | | 0.160 |
| 1974 | 3107 | 2896 | 427 | | 0.153 |
| 1975 | 2967 | 3670 | 491 | | 0.131 |
| 1976 | 2791 | 3403 | 616 | | 0.180 |
| 1977 | 6556 | 4098 | 606 | | 0.130 |
| 1978 | 4657 | 4074 | 861 | | 0.178 |
| 1979 | 4389 | 4865 | 1181 | | 0.24 |
| 1980 | 4702 | 5338 | 1269 | | 0.23 |
| 1981 | 8130 | 4572 | 1215 | | 0.27 |
| 1982 | 4680 | 4575 | 1446 | | 0.32 |
| 1983 | 3866 | 4374 | 1498 | | 0.36 |
| 1984 | 5968 | 4430 | 1370 | | 0.30 |
| 1985 | 6982 | 4009 | 1409 | | 0.33 |
| 1986 | 3766 | 4014 | 1419 | | 0.31 |
| 1987 | 5849 | 4112 | 1280 | | 0.29 |
| 1988 | 3880 | 4044 | 1444 | | 0.33 |
| 1989 | 3736 | 3443 | 1390 | | 0.41 |
| 1990 | 2818 | 3288 | 1315 | | 0.40 |
| 1991 | 7169 | 2993 | 852 | | 0.27 |
| 1992 | 3908 | 2940 | 895 | | 0.24 |
| 1993 | 3354 | 2814 | 904 | | 0.31 |
| 1994 | 2373 | 3058 | 800 | | 0.23 |
| 1995 | 3434 | 3073 | 856 | | 0.30 |
| 1996 | | | 833 | | |
| | 3987 | 3059 | | | 0.27 |
| 1997 | 3388 | 2928 | 949 | | 0.32 |
| 1998 | 4468 | 2927 | 880 | | 0.30 |
| 1999 | 3599 | 2859 | 957 | | 0.32 |
| 2000 | 6693 | 2912 | 914 | | 0.31 |
| 2001 | 5495 | 2957 | 1069 | | 0.34 |
| 2002 | 3857 | 3097 | 1106 | | 0.33 |
| 2003 | 5452 | 3388 | 1078 | | 0.25 |
| 2004 | 2893 | 3200 | 1075 | | 0.29 |
| 2005 | 4063 | 3279 | 1039 | | 0.32 |
| 2006 | 4701 | 2888 | 1023 | | 0.33 |
| 2007 | 4031 | 2951 | 1015 | | 0.34 |
| 2008 | 4301 | 2825 | 908 | | 0.31 |
| 2009 | 3640 | 3224 | 701 | | 0.21 |
| 2010 | 5158 | 3622 | 698 | | 0.20 |
| 2011 | 3790 | 3730 | 801 | | 0.20 |
| 2012 | 3317 | 3960 | 872 | 2 | 0.22 |
| 2013 | 2973 | 3854 | 883 | 1 | 0.23 |
| 2014 | 2955 | 4114 | 885 | 10 | 0.21 |
| 2015 | 4598 | 4097 | 774 | 54 | 0.193 |
| 2016 | 3520 | 4522 | 913 | 10 | 0.21 |
| 2017 | 3890* | 4370 | | | |

^{*}geometric mean

Sources and references

EC. 2007. Council Regulation (EC) No. 509/2007 of 7 May 2007 establishing a multi-annual plan for the sustainable exploitation of the stock of sole in the Western Channel. Official Journal of the European Union, L 122/7. http://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32007R0509&from=EN.

EU. 2015. Commission Delegated Regulation (EU) 2015/2438 of 12 October 2015 establishing a discard plan for certain demersal fisheries in north-western waters. OJ L 336, 23.12.2015, p. 29–35. http://eurlex.europa.eu/eli/reg_del/2015/2438/oj

EU. 2016. Commission Delegated Regulation (EU) 2016/2375 of 12 October 2016 establishing a discard plan for certain demersal fisheries in North-Western waters. C/2016/6439, OJ L 352, 23.12.2016, p. 39–47. http://eurlex.europa.eu/eli/reg_del/2016/2375/oj

ICES. 2015. Report of the Second Inter-Benchmark Protocol on West of Channel Flatfish (IBPWCFlat2), June–September 2015, by correspondence. ICES CM 2015/ACOM:55. 142 pp.

ICES. 2016a. Report of the Workshop to consider F_{MSY} ranges for stocks in ICES categories 1 and 2 in Western Waters (WKMSYREF4), 13–16 October 2015, Brest, France. ICES CM 2015/ACOM:58. 187 pp.

ICES. 2016b. Advice basis. In: Report of the ICES Advisory Committee, 2016. ICES Advice 2016, Book 1, Section 1.2.

ICES. 2017. Report of the Working Group for the Celtic Seas Ecoregion (WGCSE), 9–18 May 2017, ICES Headquarters, Copenhagen, Denmark. ICES CM 2017/ACOM