

## Sole (*Solea solea*) in Subarea 4 (North Sea)


### ICES advice on fishing opportunities

**Please note: This advice was updated in November 2019 (ICES, 2019b)**

ICES advises that when the EU multiannual plan (MAP) for the North Sea is applied, catches in 2020 that correspond to the F ranges in the MAP are between 7170 tonnes and 20 820 tonnes. According to the MAP, catches higher than those corresponding to  $F_{MSY}$  (12 317 tonnes) can only be taken under conditions specified in the MAP, which the entire range is considered precautionary when applying the ICES advice rule.

### Stock development over time

The spawning-stock biomass (SSB) has increased since 2007 and has been estimated above  $MSY B_{trigger}$  since 2014. Fishing mortality (F) has declined since 1999 and is close to  $F_{MSY}$  in 2018. Recruitment (R) has fluctuated without trend since the early 1990s.



**Figure 1.** Sole in Subarea 4 (North Sea). Summary of the stock assessment. Estimates of discards are only available since 2002. Shaded areas for SSB and recruitment indicate  $\pm 2 \times$  standard error (approximately 95% confidence intervals). The assumed recruitment is 100 million.

### ICES advice on fishing opportunities

ICES advises that fishing pressure on the stock is above  $F_{MSY}$  but below  $F_{pa}$  and  $F_{lim}$ , and spawning-stock size is above  $MSY B_{trigger}$  and  $B_{lim}$ .

**Table 1** Sole in Subarea 4. State of the stock and fishery relative to reference points.

		Fishing pressure				Stock size			
		2016	2017	2018		2017	2018	2019	
Maximum sustainable yield	$F_{MSY}$	✗	✗	✗ Above		$MSY B_{trigger}$	✓	✓	✓ Above trigger
Precautionary approach	$F_{pa}, F_{lim}$	✓	✓	✓ Harvested sustainably		$B_{pa}, B_{lim}$	✓	✓	✓ Full reproductive capacity
Management plan	$F_{MGT}$	✓	✓	✓ Within range		$MAP MSY B_{trigger}$	✓	✓	✓ Above trigger

### Catch scenarios

**Table 2** Sole in Subarea 4. Assumptions made for the interim year and in the forecast.

Variable	Value	Notes
$F_{ages\ 2-6}$ (2019)	0.22	Average exploitation pattern (2016–2018), scaled to average (2016–2018).
SSB (2020)	54 776	Short-term forecast; in tonnes.
$R_{age\ 1}$ (2019, 2020)	112 788	Geometric mean (1957–2015); in thousand.
Total catch (2019)	13 657	Short-term forecast; in tonnes.
Wanted catch (2019)	12 519	Short-term forecast, average landings ratio 2016–2018, in tonnes.
Unwanted catch (2019)	1 137	Short-term forecast, average discard ratio 2016–2018, in tonnes.

**Table 3** Sole in Subarea 4. Annual catch scenarios. All weights are in tonnes.

Basis	Total catch* (2020)	Wanted catch** (2020)	Unwanted catch (2020)	$F_{total}^{\#}$ (ages 2–6) (2020)	$F_{wanted}$ (ages 2–6) (2020)	$F_{unwanted}$ (ages 2–6) (2020)	SSB (2021)	% SSB change***	% TAC change^	% Advice change^^
ICES advice basis										
EU MAP^^^: $F_{MSY}$	12317	11268	1049	0.202	0.166	0.058	55528	1.37	–1.90	–3.8
$F = MAP F_{MSY}$ lower	7170	6562	508	0.113	0.095	0.033	60280	10.0	–43	–44
$F = MAP F_{MSY}$ upper	20820	19038	1782	0.367	0.300	0.106	47717	–12.9	66	63
Other scenarios										
MSY approach: $F_{MSY}$	12317	11268	1049	0.202	0.166	0.058	55528	1.37	–1.90	–3.8
$F_{mp}$ (former management plan)	12205	11166	1039	0.20	0.165	0.058	55630	1.56	–2.8	–4.7
$F = 0$	0	0	0	0	0	0	66927	22	–100	–100
$F_{pa}$	24187	22116	2071	0.44	0.36	0.127	44633	–18.5	93	89
$F_{lim}$	29244	27244	2000	0.63	0.52	0.182	37537	–31	155	150
SSB (2021) = $B_{pa}$	601	29785	29184	0.65	0.53	0.186	37000	–32	160	155
SSB (2021) = $B_{lim}$	56	34	22	1.02	0.84	0.30	26300	–52	250	250
SSB (2021) = $B_{trigger}$	3	785	2816	0.65	0.53	0.186	37000	–32	160	155
MAP trigger	13125	12007	1118	0.22	0.178	0.062	54783	0.0127	4.5	2.5
MAP over TAC	155	11486	1069	0.21	0.170	0.059	55308	0.97	0	–1.92

\* Difference between total catch and the sum of wanted and unwanted catches result from rounding.

\*\* “Wanted” and “unwanted” catch are used to describe fish that would be landed and discarded in the absence of the EU landing obligation, based on average discard rate estimates for 2016–2018.

\*\*\* SSB 2021 relative to SSB 2020.

^ Total catch in 2020 relative to TAC in 2019 (12 555 tonnes).

^^ Total catch in 2020 relative to advice value 2019 (12 801 tonnes).

^^^ EU multiannual plan (MAP) for the North Sea (EU, 2018).

#  $F_{wanted}$  and  $F_{unwanted}$  do not sum up to the  $F_{total}$  as they are calculated using different ages.

The advice change (–3.80%) is due to the downwards revision of SSB in the update assessment, as well as low recent recruitment.

## Basis of the advice

**Table 4** Sole in Subarea 4. The basis of the advice.

Advice basis	EU multiannual plan (MAP) for the North Sea (EU, 2018).
Management plan	<p>The EU multiannual plan (MAP) for stocks in North Sea and adjacent waters applies to this stock. The plan specifies conditions for setting fishing opportunities depending on stock status and making use of the <math>F_{MSY}</math> range for the stock.</p> <p>In accordance with the MAP, catches higher than those corresponding to <math>F_{MSY}</math> can only be taken providing SSB is greater than <math>MSY B_{trigger}</math>, and one of the following conditions is met:</p> <ul style="list-style-type: none"> <li>a) if it is necessary for the achievement of objectives of mixed fisheries;</li> <li>b) if it is necessary to avoid serious harm to a stock caused by intra- or inter-species stock interactions;</li> <li>c) in order to limit variations in fishing opportunities between consecutive years to no more than 20 %.</li> </ul> <p>ICES considers that the <math>F_{MSY}</math> range for this stock used in the MAP is precautionary.</p>

## Quality of the assessment

There has been a downward revision of the SSB in the latest assessments.

The main fishery targeting sole has gradually shifted fishing effort to the southern part of the Division 4.c. Currently no survey information about the area where the main part of the catch is taken is included in the assessment.



**Figure 2** Sole in Subarea 4. Historical assessment results (final-year recruitment estimates included).

## Issues relevant for the advice

ICES was asked to provide advice based on the EU MAP for the North Sea.

Between 2014 and 2018 the use of pulse trawls in the main fishery operating in the North Sea has increased and less vessels are operating with otter beam trawls. The pulse gear allows fishing of softer grounds and as a result the spatial distribution of the main fishery has changed to the southern part of the Division 4.c. As a consequence, a larger proportion of the sole catch is now taken in this area (ICES, 2018a). Following the EU decision in February 2019 to revise the technical measures regulations, the pulse gear will be prohibited from 30<sup>th</sup> of June 2021 and it is now being phased out. It is expected that the fleets will revert to the traditional gears and fishing grounds.

Sole in Subarea 4 has been fully under the landing obligation since 2016, with *de minimis* exemptions in certain fisheries.

Below minimum size (BMS) landings of sole reported to ICES are currently much lower than the estimates of unwanted catches, which in 2018 comprises 8.6% of the total catch based on catch monitoring programmes.

An analysis of BTS survey data over the period 2000–2017 (Brunel and Verkempynck, 2018) shows that the stock distribution is expanding north of 56°N, up to the west coast of Denmark, particularly for sole larger than 24 cm.

## Reference points

**Table 5** Sole in Subarea 4. Reference points, values, and their technical basis. All weights are in tonnes.

Framework	Reference point	Value	Technical basis	Source
MSY approach	MSY $B_{trigger}$	37 000	Default to value of $B_{pa}$ .	ICES (2015)
	$F_{MSY}$	0.202	EQsim analysis, assuming a hockey-stick stock–recruit relationship based on the recruitment period 1958–2010.	ICES (2015)
Precautionary approach	$B_{lim}$	26 300	Break-point of hockey-stick stock–recruit relationship, based on the recruitment period 1958–2010.	ICES (2015)
	$B_{pa}$	37 000	$B_{lim} \times \exp(1.645 \times 0.2) \approx 1.4 \times B_{lim}$ .	ICES (2015)
	$F_{lim}$	0.63	EQsim analysis, based on the recruitment period 1958–2010.	ICES (2016)
	$F_{pa}$	0.44	$F_{lim} \times \exp(-1.645 \times 0.2) \approx F_{lim} / 1.4$ .	ICES (2016)
EU Management plan (MAP)*	MAP MSY $B_{trigger}$	37 000	MSY $B_{trigger}$ .	ICES (2015)
	MAP $B_{lim}$	26 300	$B_{lim}$ .	ICES (2015)
	MAP $F_{MSY}$	0.202	$F_{MSY}$ .	ICES (2015)
	MAP target range $F_{lower}$	0.113–0.202	Consistent with ranges provided by ICES (2015) resulting in more than 5% reduction in long-term yield compared with MSY.	ICES (2015)
	MAP target range $F_{upper}$	0.202–0.367	Consistent with ranges provided by ICES (2015) resulting in no more than 5% reduction in long-term yield compared with MSY.	ICES (2015)

\* EU multiannual plan (MAP) for the North Sea (EU, 2018).

## Basis of the assessment

**Table 6** Sole in Subarea 4. Basis of the assessment and advice.

ICES stock data category	1 (ICES, 2018b).
Assessment type	Age-based analytical assessment (ICES and ICES, 2009, ICES, 2019a) that uses catches in the model and in the forecast.
Input data	Commercial catches (quarterly frequencies from catch reporting), three survey indices (BTS-ISIS Q3, SNS Q3, DFS Q3). Natural mortality is assumed constant at 0.1 (except for 1963: 0.9). Maturity-at-age is assumed to be knife-edged (age 3) and constant over time.
Discards, BMS landings, and bycatch	Discards are included in the assessment. In 2018, 85% of the landings had associated discarding information, and the discards were sampled. BMS landings, where reported, are included with discards as unreported catches in the assessment from 2016.
Indicators	None.
Other information	The stock was not benchmarked in 2015 (ICES, 2015). The main changes were the inclusion of discards and the removal of the Dutch beam trawl fleet commercial index (ICES, 2015).
Working group	Group for the Assessment of Demersal Stocks in the North Sea and Skagerrak (WGNSSK)

## Information from stakeholders

There was no external information.

## History of the advice, catch, and management

**Table 7** Sole in Subarea 4. ICES advice, and ICES estimates of landings and discards reported to ICES. All weights are in tonnes.

Year	ICES advice	Landings corresponding to advice	Catch corresponding to advice	Agreed TAC	ICES landings	ICES discards
1987	Rebuild SSB to 40 000 t; TAC	11000		14000	17368	
1988	Increase SSB towards 50 000 t; TAC	11000		14000	21590	
1989	Increase SSB towards 50 000 t; TAC	14000		14000	21805	
1990	80% of F(88); TAC	25000		25000	5120	
1991	SSB > 50 000 t; TAC	27000		27000	13	
1992	TAC	21000		25000		
1993	No long-term gains in increased F	29000		32000	3148	
1994	No long-term gains in increased F	31000		32000	33002	
1995	No long-term gains in increased F	28000		28000	30467	
1996	Mixed fishery, link plaice advice	23000		23000	22651	
1997	< 80% of F(95)	14.600		20000		
1998	75% of F(96)	18100		20000	20868	
1999	$F < F_{pa}$ (80% of F(97))	20300		20000	23475	
2000	$F < F_{pa}$	< 19800		22000	22641	
2001	$F < F_{pa}$	< 17700		19000	19944	
2002	$F < 0.37$	< 14300		19000	16945	1712
2003	$F < F_{pa}$	< 14600		15900	17920	1364
2004	$F < F_{pa}$	< 17900		17000	18757	2181
2005	$F < F_{pa}$	< 17300		18600	16355	1341
2006	Keep SSB above $B_{pa}$	< 11900		17700	12594	994
2007	SSB above $B_{pa}$	< 11900		15000	14635	871
2008	SSB above $B_{pa}$	9800		12800	14071	545
2009	Apply management plan	14000		14000	13952	1261
2010	Apply management plan	< 14000		14100	12603	2246
2011	See scenarios			14100	11485	1703
2012	Apply first stage of the management plan	< 15700		16200	11602	2528
2013	Apply first stage of the management plan	14000		14000	13137	2119
2014	Apply first stage of the management plan	14000		11900	13060	1568
2015	Apply second stage of the management plan	< 14000		11900	12867	1763
2016	Apply second stage of the management plan		$\leq 12800$	13262	14127	1205^
2017	Apply second stage of the management plan		$\leq 15300$	16123	12370	1246^
2018	Apply second stage of the management plan		$\leq 15726$	15694	11199	1056^
2019	MAP* F ranges: $F_{pa}$ to $F_{pa} = 0.115$ (0.367), but F higher than $F_{pa} = 0.102$ only under conditions specified in the MAP		7451–21644, but catches greater than 12801 only under conditions specified in the MAP	12555		
2020	Management Plan		12317 (range 7170–20820)			

\* The 2016 catch corresponds to unwanted catch (including BMS landings).

\* Catching effort in the North Sea (EU, 2018).

## History of catch and landings

**Table 8** Sole in Subarea 4. Catch distribution by fleet in 2018 as estimated by and reported to ICES.

Catch	Wanted catch				Unwanted catch
12255 tonnes	Beam trawl 90%	Gillnets 4.1%	Trammel nets 4.3%	Other 1.7%	1056 tonnes
	11199 tonnes				

**Table 9** Sole in Subarea 4. History of landings; the official reported landings are presented by country and total. Official reported BMS landings, ICES estimated landings, and the TAC are presented. All weights are in tonnes.

Year	Belgium	Denmark	France	Germany	Netherlands	UK	Other	Total landings	Official BMS landings	ICES total landings	TAC
1982	1900	524	686	266	17686	403	2	21467		21579	21000
1983	1740	730	332	619	16101	435	0	19957		24927	20000
1984	1771	818	400	1034	14330	586	1	18940		26839	20000
1985	2390	692	875	303	14897	774	3	19934		24248	22000
1986	1833	443	296	155	9558	647	2	12934		18201	20000
1987	1644	342	318	210	10635	676	4	13829		17368	14000
1988	1199	616	487	452	9841	740	28	13363		14000	14000
1989	1596	1020	312	864	9620	1033	50	14495		14000	14000
1990	2389	1427	352	2296	18202	1614	263	26543		35120	20000
1991	2977	1307	465	2107	18758	1723	271	27608		33513	20000
1992	2058	1359	548	1880	18601	1281	277	26004		29341	25000
1993	2783	1661	490	1379	22015	1149	298	28000		32000	32000
1994	2935	1804	499	1744	22874	1137	298	28000		32000	32000
1995	2624	1673	640	1564	20927	1040	312	28780		30467	28000
1996	2555	1018	535	670	15344	848	229	11000		22651	23000
1997	1519	689	99	510	10241	479	204	11000		14901	18000
1998	1844	520	510	782	15198	549	9	11000		20868	19100
1999	1919	828	NA	1458	16283	645	501	*21654		23475	22000
2000	1806	1069	362	1280	15273	600	539	10929		22641	22000
2001	1874	772	411	958	13345	590	394	13351		19944	19000
2002	1437	644	266	759	12120	451	292	15969		16945	16000
2003	1605	703	728	749	12460	521	1	17138		17920	15850
2004	1477	808	655	949	12000	544	1	17828		18757	17000
2005	1374	831	676	756	10000	357	1	15579		16355	18600
2006	980	585	648	899	8000	91	0	11933		12594	17670
2007	955	413	401	400	10365	120	5	13800		14635	15000
2008	1379	507	714	513	9456	15	15	13435		14071	12800
2009	1353	476	NA	555	10038	951	1	*14898		13952	14000
2010	1268	406	621	500	8000	526	1.38	12129		12603	14100
2011	857	346	539	800	8000	786	2	10990		11485	14100
2012	593	418	603	416	9089	599	3	11752		11602	16200
2013	697	497	600	561	9987	867	0	13291		13137	14000
2014	920	314	670	642	9569	840	0	12547		13060	11900
2015	933	271	532	500	8899	804	0	12203		12867	11900
2016	**767	**300	502	500	**9600	**705	**0	**12651	NA	14127	13262
2017	**556	*100	593	*100	**9155	**513	**0	**11781	**30	12370	16123
2018	**408	*100	420	**710	**8412	**431	**2	**10771	**57	11199	12555

\* These values do not include reported off-boat landings or all countries.

\*\* Preliminary reported official landings.

NA: Not available

## Summary of the assessment

**Table 10** Sole in Subarea 4. Assessment summary. Recruitment in thousands. Weights are in tonnes. 'High' and 'Low' are 2 standard errors (approximately 95% confidence intervals).

Year	Recruitment			SSB			Landings	Discards	Official BMS landings	F		
	Age 1	High	Low	SSB	High	Low				Ages 2–6	High	Low
1957	133639	157494	113421	62890	70821	54959	12067			0.21	0.25	0.167
1958	117618	139891	98852	65799	73622	57976	14287			0.22	0.25	0.193
1959	437231	516879	369696	68451	75869	61033	13832			0.27	0.30	0.21
1960	41880	49899	35181	68637	75785	61489	18620			0.28	0.30	0.23
1961	69475	82937	58230	101460	111903	91017	23566			0.30	0.33	0.27
1962	11063	13151	9305	85679	94315	77043	26877			0.33	0.36	0.29
1963	12718	15277	10588	70883	78096	63670	26164			0.33	0.36	0.29
1964	600118	737469	488463	52266	58618	45914	11342			0.34	0.37	0.27
1965	145602	180586	117482	40890	47042	34738	17043			0.35	0.38	0.25
1966	54216	69349	42408	107460	123677	91243	33340			0.31	0.36	0.26
1967	87066	115206	65744	101370	112225	90515	33439			0.37	0.42	0.33
1968	127495	170294	95485	89656	98680	80632	33179			0.47	0.52	0.41
1969	88735	119315	65939	70654	77974	63334	27135			0.54	0.61	0.47
1970	199060	268918	147243	64660	71907	57413	27135			0.55	0.61	0.49
1971	53209	69349	40827	55306	61687	48925	27135			0.53	0.60	0.46
1972	109432	140998	84923	62591	70426	54756	27135			0.51	0.58	0.45
1973	154175	198206	119963	46167	51375	41071	19345			0.52	0.58	0.47
1974	129631	163325	102796	46478	51885	41071	17989			0.54	0.60	0.48
1975	61849	78636	48602	49127	54755	43517	17173			0.53	0.58	0.47
1976	135909	174200	106090	47300	52120	42000	17173			0.50	0.54	0.45
1977	163006	206006	129100	36869	41007	33000	18003			0.47	0.53	0.41
1978	60809	77276	47804	41892	46000	37500	20280			0.46	0.52	0.41
1979	18040	22968	14168	57000	56200	5158	22598			0.48	0.53	0.44
1980	190841	243205	149693	37700	42517	35037	15807			0.52	0.57	0.46
1981	230091	304388	173849	26801	30004	24658	15403			0.56	0.61	0.50
1982	205107	276227	152211	39906	45004	34288	21579			0.59	0.65	0.54
1983	197096	257270	150862	44000	50057	43031	24927			0.62	0.69	0.55
1984	91723	117965	70000	55987	62000	43967	26839			0.62	0.68	0.56
1985	112527	140000	90000	46600	51963	41307	24248			0.61	0.67	0.56
1986	160330	210000	110074	38637	43220	35054	18201			0.59	0.65	0.53
1987	105900	1367723	67723	35406	38760	32052	17368			0.55	0.60	0.51
1988	66920	820050	30000	43237	48389	38085	21590			0.52	0.56	0.47
1989	129300	157248	106342	38183	41808	34558	21805			0.49	0.54	0.44
1990	240000	300000	200290	120830	138843	102817	35120			0.47	0.52	0.43
1991	14550	110000	74311	88339	98073	78605	33513			0.48	0.52	0.44
1992	1410	542932	359065	89905	98136	81674	29341			0.51	0.56	0.46
1993	1410	110472	70086	60136	64849	55423	31491			0.54	0.59	0.50
1994	67000	85280	53332	85614	96381	74847	33002			0.58	0.63	0.54
1995	117215	148097	92817	63664	70563	56765	30467			0.62	0.68	0.56
1996	75301	95404	59404	38059	41082	35036	22651			0.65	0.69	0.60
1997	306980	386103	244297	32400	35652	29148	14901			0.66	0.71	0.61
1998	145514	182623	115939	24221	26530	21912	20868			0.66	0.72	0.60
1999	119335	150449	94714	48535	56024	41046	23475			0.65	0.70	0.60
2000	149473	185176	120685	41415	46758	36072	22641			0.64	0.69	0.58
2001	75840	92616	62055	34396	37719	31073	19944			0.62	0.68	0.57

Year	Recruitment			SSB			Landings	Discards	Official BMS landings	F		
	Age 1	High	Low	SSB	High	Low				Ages 2–6	High	Low
2002	211151	257537	173006	34996	38590	31402	16945	1712		0.61	0.65	0.57
2003	92102	110971	76495	26927	29406	24448	17920	1364		0.59	0.64	0.54
2004	48463	58297	40324	38962	43416	34508	18757	2181		0.56	0.61	0.52
2005	51785	62000	43265	31179	34172	28186	16355	1341		0.53	0.57	0.49
2006	191607	227424	161366	25058	27067	23049	12594	994		0.50	0.54	0.45
2007	69113	82440	57883	18336	19709	16963	14635	871		0.48	0.52	0.43
2008	73577	87929	61557	35888	40069	31707	14071	545		0.47	0.50	0.43
2009	94379	112327	79287	30699	33690	27708	13952	1261		0.46	0.50	0.41
2010	211395	251943	177201	29193	31577	26809	12603	2246		0.45	0.49	0.41
2011	211307	252167	177044	27976	30627	25325	11485	1703		0.44	0.48	0.39
2012	54622	65722	45379	35215	39524	30906	11602	2528		0.41	0.46	0.35
2013	113335	139057	92352	42003	47664	36342	13137	2119		0.40	0.45	0.29
2014	202993	256915	160412	37922	44261	31583	13060	1511		0.38	0.43	0.24
2015	149480	197189	113332	39085	46515	31655	12867	1111		0.26	0.32	0.198
2016	73600	101751	53195	51331	61341	41321	14127	1200		0.23	0.28	0.177
2017	125181	189087	82954	53396	64827	41965	12377	1216		0.22	0.27	0.163
2018	98395	185532	52210	51459	63972	38946	11757	999*		0.22	0.29	0.140
2019	112788**			55591***								

\* Since 2016, discards correspond to unwanted catch minus BMS landings from EU vessels officially reported in logbooks.

\*\* Geometric mean (1957–2015).

\*\*\* From the short-term forecast.



## Sources and references

- Aarts, G., and Poos, J. J. 2009. Comprehensive discard reconstruction and abundance estimation using flexible selectivity functions. *ICES Journal of Marine Science*, 66: 763–771.
- Brunel, T., and Verkempynck, R. 2018. Variations in North Sea sole distribution. Variation in North Sea sole distribution with respect to the 56°N parallel perceived through scientific survey and commercial fisheries. Wageningen University & Research report C087/18.
- EU. 2018. Regulation (EU) 2018/973 of the European Parliament and of the council of 4 July 2018 establishing a multiannual plan for demersal stocks in the North Sea and the fisheries exploiting those stocks, specifying details of the implementation of the landing obligation in the North Sea and repealing Council Regulations (EC) No 676/2007 and (EC) No 342/2008. *Official Journal of the European Union*, L. 179. 13 pp. <http://data.europa.eu/eli/reg/2018/973/oj>.
- ICES. 2015. Report of the Benchmark Workshop on North Sea Stocks (WKNSEA), 2–6 February 2015, Copenhagen, Denmark. ICES CM 2015/ACOM:32. 253 pp.
- ICES. 2016. Report of the Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak (WGNSSK), 26 April–5 May 2016, Hamburg, Germany. ICES CM 2016/ACOM:14. 1096 pp.
- ICES. 2018a. Report of the Working Group on Electric Trawling (WGELECTRA), 17–19 April 2018, IJmuiden, the Netherlands. ICES CM 2018/EOSG: 10. 155 pp.
- ICES. 2018b. Advice basis. In Report of the ICES Advisory Committee, 2018. ICES Advice 2018, Book 1, Section 1.2. <https://doi.org/10.17895/ices.pub.4503>.
- ICES. 2019a. Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak (WGNSSK). ICES Scientific Reports. 1:7. <http://doi.org/10.17895/ices.pub.5402>
- ICES. 2019b. Sole (*Solea solea*) in Subarea 4 (North Sea). In Report of the ICES Advisory Committee, 2019. ICES Advice 2019, sol.27.4, <https://doi.org/10.17895/ices.advice.4873>

*Recommended citation:* ICES. 2019. Sole (*Solea solea*) in Subarea 4 (North Sea). In Report of the ICES Advisory Committee, 2019. ICES Advice 2019, sol.27.4, <https://doi.org/10.17895/ices.advice.4873>